MICROCOPY RESOLUTION TEST CHART

NATIONAL BUREAU OF STANDARDS-1963-A

AD-A183 409   UMENTATION PAGE

Form Approved
OMB No. 0704-0188

1a. REPORT SECURITY CLASSIFICATION	1b. RESTRICTIVE MARKINGS
2a. SECURITY CLASSIFICATION AUTHORITY	3. DISTRIBUTION/AVAILABILITY OF REPORT
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE	Approved for public release; distribution unlimited

4. PERFORMING ORGANIZATION REPORT NUMBER(S)	5. MONITORING ORGANIZATION REPORT NUMBER(S)
Technical Report #8 (33-987-7318-2-30)	

6a. NAME OF PERFORMING ORGANIZATION	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION
Harvard University		Personnel & Training Research Programs Office of Naval Research (Code 1142PT)

6c. ADDRESS (City, State, and ZIP Code)	7b. ADDRESS (City, State, and ZIP Code)
Department of Psychology William James Hall, Rm. 1236 33 Kirkland Street, Cambridge, MA 02138	800 North Quincy Street Arlington, VA 22217-5000

8a. NAME OF FUNDING/SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER
		N00014-85-K-0291

8c. ADDRESS (City, State, and ZIP Code)	10. SOURCE OF FUNDING NUMBERS			
	PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.	WORK UNIT ACCESSION NO.
	61153N	RR04204	RR04204-01	442b465

11. TITLE (Include Security Classification)

Understanding Charts and Graphs   (Unclassified)

12. PERSONAL AUTHOR(S)
Stephen M. Kosslyn

13a. TYPE OF REPORT	13b. TIME COVERED	14. DATE OF REPORT (Year, Month, Day)	15. PAGE COUNT
Technical	FROM 4/1/85 TO 7/31/87	87/7/28	45

16 SUPPLEMENTARY NOTATION

17	COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)
FIELD	GROUP	SUB-GROUP	
05	10		Graphics, Human Factors, Vision

19 ABSTRACT (Continue on reverse if necessary and identify by block number)

Many charts and graphs do not convey information effectively. This paper develops a way of analyzing the information in charts and graphs that reveals the design flaws in the display. The analytic scheme requires isolating four types of constituents in a display, and specifying their structure and interrelations at a syntactic, semantic, and pragmatic level of analysis. As the description is constructed, one checks for violations of "acceptability

continued on back

20 DISTRIBUTION/AVAILABILITY OF ABSTRACT	21. ABSTRACT SECURITY CLASSIFICATION
☒ UNCLASSIFIED/UNLIMITED ☐ SAME AS RPT ☐ DTIC USERS	

22a NAME OF RESPONSIBLE INDIVIDUAL	22b TELEPHONE (Include Area Code)	22c OFFICE SYMBOL
Dr. Harold Hawkins	202-696-4323	ONR 1142PT

DD Form 1473, JUN 86   Previous editions are obsolete.   SECURITY CLASSIFICATION OF THIS PAGE

87 8 11 080

Understanding Charts and Graphs

Stephen M. Kosslyn

Harvard University

Running head: Understanding graphs

Send proofs to: S. M. Kosslyn

1236 William James Hall

33 Kirkland Street

Cambridge, MA 02138

Abstract

Many charts and graphs do not convey information effectively. This paper develops a way of analyzing the information in charts and graphs that reveals the design flaws in the display. The analytic scheme requires isolating four types of constituents in a display, and specifying their structure and interrelations at a syntactic, semantic, and pragmatic level of analysis. As the description is constructed, one checks for violations of "acceptability principles," which are derived from facts about human visual information processing and from an analysis of the nature of symbols. Violations of these principles reveal the source of potential difficulties in using a display.

UNDERSTANDING CHARTS AND GRAPHS

Most people have had the experience of opening a well-known national
news magazine and puzzling over a chart or graph, trying to figure out what it
is about and what it is supposed to be telling the reader. Often one can point
to some aspect of the offending bit of graphics and say that _those_ lines
are too close together or _that_ mislabeled axis is the root of the problem.
But often one is not sure exactly what is wrong, and would be unable to tell
the artist how to improve his or her work. In this paper I develop a
systematic way of characterizing what is right, and wrong, about any given
chart or graph.

The present system hinges on describing a display at multiple levels of
analysis. Because of the way the scheme was designed, it should be easily used
to describe any unambiguous chart or graph in a straightforward way. When the
system cannot be easily applied, this indicates that something is wrong. A set
of principles are described that should be adhered to if a chart or graph is to
be effective, and one of these principles has been violated when the analytic
system cannot be easily applied to a display. Similarly, if one uses the
system as one is constructing a display, the result will be unambiguous and
easily apprehended.

Types of visual displays

There are numerous and varied ways in which people illustrate ideas or
concepts. Cartoons, for example, can illustrate the artist's impressions by
subtle variations of the thickness of a line (e.g., making a politician appear
to have a heavy, caveman-like brow). Similarly, M.C. Escher's bizarre visions
can force the viewer to see things in a new light. But these artistic uses of

visual media are not the topic of this paper. We are concerned with how
quantitative information and relations among discrete entities are communicated
graphically. These displays necessarily use symbols, which are marks that are
interpreted in accordance with convention. There are four common types of
"symbolic" displays which differ in terms of what information is communicated
and how information is communicated. These types can be combined to form
hybrids (e.g., a map with pie charts over the states), but the hybrids will not
have emergent properties; they can be understood as simple amalgams of the
types delineated here.

Graphs are the most constrained form, with at least two scales
always being required and values being associated via a "paired with" relation
that is always symmetrical. Graphs represent greater quantities of the
measured substance by greater area, longer lines, or more of some other visual
dimension; more along a visual continuum represents more of the symbolized
entity. Thus, a pie chart is actually a graph.

Charts specify discrete relations among discrete entities. Charts
have an internal structure in which entities must be visibly related to other
entities by lines or relative positions that serve as links. These links can
be labeled or unlabeled, directed or undirected, and need not simply pair
entities; a very wide variety of types of relations are possible (not simply
the paired-with relation illustrated in graphs).

Maps are unlike charts and graphs in that they are not entirely
conventional: a part of a map corresponds nonarbitrarily to a part of the
pictured territory. The internal relations among parts of a map are determined
by the spatial relations of what is pictured. However, maps usually include a
symbolic component (e.g., different colors representing different population),

and labels are paired with locations.

Finally, _diagrams_ are schematic pictures of objects or entities. These can be picturable objects, such as parts of a machine, or abstract concepts, such as forces acting on the parts. A diagram is symbolic in that special symbols (e.g., cross-hatching to illustrate curvature) are used, which are interpreted (at least in part) by convention; a photograph is not symbolic because no conventional means of representation are exploited. Unlike charts and graphs, the parts of a diagram correspond to parts of some actual object or entity; and unlike maps, parts of diagrams do not represent locations of a territory.

In this paper we concentrate on a detailed treatment of charts and graphs. In many ways graphs are the most interesting because they are the most varied form while, at the same time, are very constrained. That is, there are numerous different types of graphs -- line, bar, surface, divided bar, pictograph -- and yet the way they function to communicate information is well-structured. Although some types of displays, such as maps, are more constrained (the shapes must resemble those of regions being represented), they are also less varied. The insight gained from understanding the way charts and graphs convey information applies to all of types of displays; we can simply apply the various strictures as appropriate when making a map or diagram.

Thus, our approach will be first to understand the most structured and demanding cases, where graphs are used to communicate detailed information clearly and concisely. We then will be in a position to consider special cases, where only some subset of the complete information need be conveyed.

This paper has three major parts. The first begins by outlining the key elements of the analytic scheme. Following this, the bases of the

evaluative procedure are introduced. Finally, the "acceptability principles" are developed and are used to diagnose problems with displays. A relatively simple example is used to illustrate these ideas, and a very complex example is presented in the Appendix.

ELEMENTS OF THE ANALYTIC SYSTEM

The analytic system allows one to diagnose problems with a display. The system can only be applied easily to a perfect display; when there is any difficulty in using the system, this alerts one to a problem. The particular problem is revealed by where the descriptive procedure breaks down, and the way in which it breaks down, as will be described shortly.

A chart or graph is described in terms of a set of components and relations among them. This description is generated at three levels of analysis, as is developed below.

"Basic Level" graphic constituents

Displays are described as sets of components.with specific relations among them. The components can be most usefully described at a "basic level." The notion of "basic level" used here is directly analogous to Rosch, Mervis, Gray, Johnson, and Boyes-Braem's (1976) conception of a "basic level" in categorization hierarchies. In categorization, the basic level is the one that is as general as possible while still having as many similar members as possible. For example, "apple," and not "fruit" or "Delicious apple," is the basic level because that category captures the most exemplars that are still very similar; going down the hierarchy results in fewer exemplars in the category, say Delicious apples, whereas going up the hierarchy, to fruit, results in the exemplars not being very similar to each other (Rosch et al.

provide additional criteria, but this is adequate for present purposes).

Similarly, the basic-level graphic constituents posited here seem to be the most general way of classifying the components of a chart or graph that still have a high degree of similarity among the different instances of the class. However, in the present case the similarity is not in appearance, but in function, in the role a constituent plays in how information is represented in a display. The four constituents used here are called the <u>background,</u> the <u>framework,</u> the <u>specifier,</u> and the <u>labels.</u> These constituents are defined at the level of semantics (described below), in terms of the information directly conveyed. Figure 1 serves to illustrate these basic-level constituents for a typical chart and graph.

Insert Figure 1 Here

Background

The background is a pattern over which the other components of the display are presented. The background serves no essential role in communicating the particular information conveyed by a chart or graph; if the background were removed, the chart or graph would still convey the same information. Although a given background is not a necessary part of a chart or graph (often the background is blank), occasionally a patterned background, such as a photograph, can serve to reinforce the information in a chart or graph (e.g., dead soldiers in a graph about the horrors of war); a patterned background can also interfere witn one's ability to read a display, as will be discussed shortly.

Framework

The framework represents the kinds of entities being related (e.g., year and oil production), but does not specify the particular information about them conveyed by the display (e.g., the amount of oil per year). The framework often has two parts: The <u>outer framework</u> extends to the edges of the display and serves the role just described; the <u>inner framework</u> is nested within the outer one and often intersects elements of the "specifier" that indicates specific values of the outer framework (e.g., the function in a line graph). The inner framework (often a grid or regular pattern of lines) usually serves to map points on the outer framework to points on the specifier. In most cases, the framework also serves to organize the display into a meaningful whole. In some charts, however, this is not true (e.g., see Figure 1), although the framework still functions as described above.

Specifier

The specifier conveys the particular information about the entities represented by the framework. The specifier serves to map parts of the framework (actually present or inferred by the reader) to other parts of the framework. In graphs, the specifier is often a line or bars which pair values on the X and Y axes delineated by the framework. In charts, the specifier material often consists of directed arrows connecting boxes or nodes.

Labels

The labels are composed of letters, words, numbers, or depictions (pictures) and provide an interpretation of another line or region (which is a component of either the framework or the specifier).

In addition to identifying these basic-level constituents, we describe them in terms of their subcomponents. The individual elements are described in terms of simple "Gestalt wholes" (such as line segments). [Footnote 1] We

also note the organization of the elements. For example, the framework of the graph illustrated in Figure 1 is easily described as a horizontal line and a vertical line (the elements) that abut at the bottom tip of the vertical line and left tip of the horizontal line (the organization). We examine not only the relations among elements belonging to the same basic-level constituent, but also the interrelations among elements belonging to different constituents. This procedure helps us to discover whether the basic-level constituents are easily identified and interpreted, and also leads us to evaluate the overall organization of the display.

Levels of analysis: Syntax, semantics, and pragmatics

The basic-level constituents and their interrelations are described at three levels of analysis. Although we identify the constituents by observing their function, we begin the description proper with a detailed syntactic analysis. This analysis focuses on properties of the lines and regions themselves; here the lines and regions are not interpreted in terms of what they represent but are treated as entities in their own right. We describe the individual elements and their organization. As will be discussed in detail shortly, this analysis examines questions such as the detectability of variations in lines, the ways in which they perceptually group into units, and so on.

The semantic analysis focuses on the meanings of the configurations of lines, what they depict or signify (e.g., axes, labels, etc.). The semantic analysis is the literal reading of each of the components of a chart or graph and the literal meaning that arises from the relations among these components.

Finally, the pragmatic analysis focuses on the ways in which meaningful symbols convey information above and beyond the direct semantic

interpretation of the symbols. At the level of pragmatics in language, for example, the question "Can you open the door?" is not comprehended as a question; rather, it is a request to open the door. The conveyed meaning in this case is quite different from the literal semantic interpretation. In addition, pragmatic considerations govern the relationship between the information in a display and the reader's needs. For example, pragmatic considerations dictate that one not provide more or less information than is needed by the purpose of the display; too much information is as bad as too little information.

FOUNDATIONS OF THE EVALUATIVE PROCEDURE

The analytic scheme hinges on specifying the basic-level constituents and their relations at the three levels of analysis. In so doing, one evaluates whether the display violates "acceptability principles." These principles have two roots. The first is the literature on how humans process visual information, and the second is the "theory of symbols" developed by Goodman (1968).

Visual information processing

A wide range of activities is interposed between that instant when one first fixates one's gaze upon a visual display and the point at which one has successfully extracted relevant information from it. The explosion of interest in cognitive psychology over the past three decades has given us a general framework for conceptualizing these activities and has given us a rich body of literature concerning their operation. This information is useful for understanding some kinds of problems that beset visual displays, namely problems that arise when a display requires use of mental operations we do not

have at our disposal. Thus, it will behoove us to consider briefly now (but in more detail shortly) the basic underpinnings of visual information processing, and then to consider how to use this information to diagnose bad displays and guide in the construction of good ones.

Insert Figure 2 About Here

Figure 2 illustrates the "standard" overview of visual information processing (see Marr, 1982; Spoehr and Lehmkuhle, 1982). The boxes in the chart correspond to three types of visual processing. The left-most box represents the ouput from a host of perceptual processes, which organize the input into lines and regions. This representation stores the most basic sensory aspects of the input, but does so only as long as one is gazing at the display. The middle box corresponds to "short-term memory." As one gazes around a display, some of the material must be held in mind while other material is apprehended. The information stored in short-term memory is usually accompanied by a conscious experience (such as of seeing a word). The capacity of short-term memory is notoriously limited: information can be held in short-term memory for only a few seconds once one has shifted one's gaze from the stimulus, and only a small amount of information (about 4 groups of items) can be held in this store at the same time (see Ericsson, Chase, and Faloon, 1980; Norman, 1978; Posner 1978). In addition to registering input from the eyes, short-term memory also receives input from long-term memory; this input consists of previously-learned relevant information, which confers "meaning" to a stimulus. Short-term memory is also important because it is the locus at which conscious reorganization and reinterpretation takes place, and

its limitations severely affect what kinds of reorganization and reinterpretation can occur (as will be discussed shortly). Finally, the right-most box of Figure 2 represents "long-term memory." This memory stores a huge amount of information for an indefinite amount of time; one's childhood memories, telephone number, and the name of a favorite book are all stored here, as well as one's knowledge of arithmetic and how various types of graphs (e.g., line vs bar) serve to communicate information.

In Figure 2 are schematized a number of properties of our visual information processing systems that affect reading charts and graphs (along with all other visual stimuli). Four of these properties pertain to how information is transferred from the perceptual input to short-term memory (and hence into awareness). These properties affect our ability to perceive syntactic properties of displays, in the following ways: First, if the stimulus is too small or does not contrast enough with a background, one will simply fail to see it. The discriminability limits of the system must be respected if any further processing is going to take place. Second, there are well-known systematic distortions in perceiving size and other properties of objects. For example, if one estimates the relative areas of two circles, one is very likely to underestimate the size difference. These distortions are reasonably well understood and can be avoided or compensated for in a display (e.g., see Stevens, 1974). Third, some aspects of a stimulus are given priority over others; we pay attention first to abrupt changes of any sort (e.g., heavier marks, brighter colors). Fourth, stimuli are organized into coherent groups and units by the time we become aware of them. Much of this organization is "automatic," not under voluntary control, and is determined by reasonably well-understood properties of stimuli (e.g., proximity of elements).

The grouping imposed by these automatic processes must be respected if a chart or graph is to be seen the way a designer intends.

Given that information is represented in short-term memory, the next constraint we must consider is the capacity limit of short-term memory. This constraint affects both our ability to integrate syntactic information and to hold semantic information in mind. That is, if too much information must be held in mind at once, a person will be unable to perform a task. Thus, the complexity of a display will be a major factor in determining its comprehensibility. Once information in a display is in short-term memory, it can be encoded into long-term memory. That is, it can be compaired against previously stored information and categorized. Once categorized, one knows more about the stimulus than is apparent in the input itself. Factors that affect this process affect our ability to extract meaning from the display.

Finally, in long-term memory the major constraint is a person's knowledge. The way a display will be interpreted, both at the level of semantics and pragmatics, depends on which stored information is most closely associated with the way the stimulus properties of a display are categorized. If a person does not know the meaning of a word, or of a pattern of lines forming the framework of a display, he or she will have trouble associating the display with the correct stored information. In addition, if a line is categorized as "steep" it will be taken to represent a "sharp rise" in prices or whatever; if it is categorized as "shallow" it will be taken to represent a "slow rise" (even if it is the same information, just graphed on different-shaped axes). Furthermore, knowledge of the task at hand can have important consequences: if the initial organization of the display does not help one to interpret the display, knowledge of the task can lead one to

consciously reorganize the pattern, using information in long-term memory
to reconstrue the stimulus -- which in turn leads to a new attempt to interpret
the pattern against other stored information. For example, if one sees a Star
of David, one will probably organize it as two overlapping triangles. If asked
whether there is a hexagon in the pattern, one will have to reorganize the
pattern before seeing the hexagon in the middle.

All of these activities are relevant whenever one is trying to
interpret what one sees. The details of the representations and processes have
yet to be specified, but the outlines of these basic forms of processing now
seem clear. We certainly know enough about each type of operation to apply
this knowledge to the design of visual displays. The basic message for display
design is straightforward: any display must be easily encoded and comprehended
by the visual information processing system. The analytic scheme to be
introduced shortly is in part a systematic way of discovering whether a given
display has violated this constraint. And if so, the scheme is designed to
reveal how a display offends our processing abilities and which abilities have
been compromised.

Symbol systems

The second foundation of the "acceptability principles" is Goodman's
(1968) theory of symbols. Some aspects of charts and graphs have little to do
with the operation of the information-processing system. They have to do with
the very nature of how marks serve as meaningful symbols. In the ideal case, a
chart or graph will be absolutely unambiguous, with its intended interpretation
being transparent. One way to think about this sort of unambiguity is in terms
of mappings between symbols and concepts. If the display is treated as a
complex symbol, then we want a unique mapping between it and one's

interpretation of it.   Goodman (1968) has characterized systems that have the property of unique <u>bidirectional</u> mapping between a symbol and concept as being "notational."   English, then, is obviously not a notational system because ambiguous words or sentences are possible, whereas musical notion is notational.   Notational systems are stronger than we need here.   In them there is not only a single way of interpreting a given symbol, but there is only one symbol that can be used to specify any given piece of information.   Our requirement here is less stringent: given a symbol, there should be only one way to interpret it. Thus, for present purposes, there are two important uses of the basic ideas underlying notational systems.

First, we are concerned with the <u>within-level mappings,</u> which specify how marks in a chart or graph are paired with other marks, composing a complex symbol; this is especially important when indicating how labels should be paired with different lines.   Second, we are concerned with <u>between-level mapping</u> between the marks on a page and the interpretation of their meaning.   It is important that the lines on the page be read as intended and have the intended effect on the reader.

In Goodman's scheme, the first distinction of importance for present purposes is between a "mark" (also called an "inscription"), a "character class," and a "compliance class."   A mark is a configuration of lines, such as "A." A character class defines which groups of marks will be classed as equivalent, such as "A" and "a."   A compliance class is the referent, the semantic interpretation, of the character class, such as "first letter of the alphabet."

The other useful (for present purposes) ideas from Goodman stem from his formal requirements for a notational system.   Goodman specifies five

requirements for a notational system. Two of these requirements are syntactic,

concerning only the properties of marks and characters, and the other three are

semantic, pertaining to the interpretation of marks. For present purposes,

four of the five requirements are most useful.

The two syntactic requirements are simply put. First, a given mark

should map into only one character class. Goodman calls this property

"syntactic disjointness." Second, one should be able to decide into which

character class a given mark falls. Goodman calls this property "syntactic

finite differentiation." It is important for present purposes to note that

this second requirement can b   violated. Consider an example where

lines of different lengths are used as marks and where any difference

length, no matter how tiny, affects the character class into which the mark

is mapped. Now, in this case between any two marks an infinite number of other

marks exist, and so too with any two characters. Given that no physical

measuring instrument is infinitely precise, this kind of situation violates the

requirement of "syntactic finite differentiation;" one cannot decide precisely

which character class a given mark signifies. In this case, the

representational system would be called "syntactically dense." An example of a

syntactically differentiated system is a digital clock, where every reading on

the clock (i.e., every mark) is distinctly identifiable. Provided that A.M.

and P.M. are distinguished, each mark maps into only one character class, and

hence the system is also syntactically disjoint; if A.M. and P.M. are not

distinguished, the system is syntactically differentiated but not syntactically

disjoint. An example of a syntactically disjoint but syntactically dense

system is a dial clock with no tick marks. Now every position of a hand is a

different mark, which signifies a different -- although not uniquely decidable

-- character (time).

The semantic properties of a perfect "notational system" are concerned with the way in which one interprets the meaning of marks; in Goodman's terms, they are concerned with the way in which character classes are mapped into compliance classes. The two semantic properties of interest parallel the syntactic ones: First, each character class should map into one and only one compliance class. A notional system has the property of "semantic disjointness." The compliance classes in such a system do not overlap; they do not share characters. Second, one should be able to identify the compliance class into which a given mark should be placed. That is, a notational system has "semantic finite differentiation." If one cannot decide which interpretation a mark should be given, the system is "semantically dense." So, for example, a digital clock with A.M./P.M. indicated is semantically disjoint and semantically differentiated because each reading has only one interpretation and the interpretation is identifiable, respectively. In contrast, an axis representing interval amounts without any tick marks is semantically dense because one cannot assign a precise meaning to any given reading (because between every two readings are an infinite number of other ones, precluding precise assessment of an individual reading).

In summary, marks intended to signify different symbols should be distinguishable, every mark should have an interpretation, and the interpretations should be distinct. We are interested in identifying cases in which there is a failure to have an unambiguous mapping between marks and meanings in a chart or graph. One reason for such a failure is ambiguity about the composition of multipart marks, which involve part-to-part correspondences ("within-level mappings"). But even when the syntactic structure of a mark is

clear, it can still fail to map into a single concept. In all cases, when such

a problem has been identified it can be ameliorated by adding to or changing

the marks used in the display; even when a label is ambiguous, a new word or

two can be substituted.

DIAGNOSING VIOLATIONS OF "ACCEPTABILITY" PRINCIPLES:

I. THE SYNTACTIC ANALYSIS

In each of the levels of analysis, we ask a number of questions that

should be easily answered if the graph is unambiguous. These questions are

designed to reveal violations of "acceptability principles." Because the

system is set up to reveal violations of these principles, we begin the

discussion of each level of analysis with a brief overview of the relevant

principles themselves. Following this, we will consider the actual mechanics

of generating a description of a chart or graph.

Acceptability principles

The syntactic principles describe constraints on how lines and regions

are detected and organized; these principles grow out of discoveries about

human visual information processing. A syntactic problem is not tied to the

lines' having a specific meaning, but hinges on problems with extracting any

meaning from lines. If these principles are violated, one either will not be

able to extract some information from a chart or graph (without, perhaps, the

aid of a magnifying glass), will systematically distort information when

reading it, will tend to have difficulty organizing it correctly, or will find

it difficult to hold the number of relevant lines in mind at once.

We posit three broad classes of acceptability principles at the

syntactic level that cannot be violated if a chart or graph is to be completely

effective. Each of these classes contains a number of specific principles
which themselves have specific aspects.

Perceptual apprehension

The visual system imposes numerous constraints on how marks can be used
to convey information in charts and graphs. The first set of principles bears
on how lines, colors, and regions are accurately discriminated -- which is a
necessary prerequisite for further processing. We posit two principles that
bear on the process of discriminating marks:

Adequate discriminability. Variations in marks must be great enough
to be easily noticed. This principle has two aspects: _Relative
discriminability:_ Two or more marks must differ by a minimal proportion to
be discriminated. The laws governing the size of this difference have been
worked out for many types of marks and these laws comprise this principle (see
Stevens, 1974). _Absolute discriminability:_ A minimal magnitude of a mark
is necessary for it to be detected. This "absolute threshold" has been
computed for many types of marks (e.g., see Smith, 1979).

Perceptual distortion. In addition to producing illusions (see
Dodwell, 1975; Frisby, 1980), the visual system often systematically distorts
the magnitude of marks along various dimensions (such as area and intensity).
This distortion is described by the value of an exponent in a power law, as
developed by S.S. Stevens and his colleagues (e.g., Stevens 1974). For some
purposes (e.g., conveying the general impression), it may be appropriate to
alter marks intentionally to compensate for the distorting properties of the
visual system (which, for example, make increases in area seem smaller than
they are; see Cleveland, 1985; Teghtsoonian, 1965).

Principles of perceptual organization

Marks are rarely seen as isolated dots on a page. A set of principles describes the main factors that determine which marks will be grouped together into a single perceptual unit. If these principles operate to group together elements of a display inappropriately, the display must be changed. In addition, good displays should make use of easily seen patterns, exploiting our ability to apprehend changes in slope, groupings and the like.

The Gestalt psychologists, who had their heyday during the 1920's, discovered almost 120 distinct laws that dictated how forms were organized (see Hochberg, 1964; Kaufman, 1974). The more important laws (for present purposes) can be summarized by four general principles:

Good continuity. Marks that suggest a continuous line will tend to be grouped together. So, a series of marks such as " - - - - - - " are seen as forming a single line, not as a series of isolated dashes.

Proximity. Marks near each other will tend to be grouped together. So, "xxx xxx" is seen as two units whereas "xx xx xx" is seen as three.

Similarity. Similar marks will tend to be grouped together. So, "!!!ooo" is seen as two units.

Good form. Regular enclosed shapes will be seen as single units. So, "[]" is seen as a unit wheras "[/" is not.

Dimensional structure. For some types of visual dimensions, values on one dimension are grouped with values on another. That is, marks vary along a number of dimensions, such as hue, size, height, and some of these dimensions cannot be processed independently of others. For example, it is impossible to see the hue of a mark (i.e., its shade of color, roughly) without seeing its saturation (i.e., the deepness of the color, roughly). Thus, some sets of dimensions are organized into single units (including height and width of a

rectangle) whereas others (such as hue and height) are not. Thus, the width of

a bar will influence one's assessment of its size, even when only the height is

relevant. The dimensions that are "stuck together" in processing are called

integral dimensions, and the ones that are processed independently are

called separable dimensions (see Garner, 1974).

Principles of processing priorities and limitations

The visual processing system has quantitative and qualitative

limitations. Partly because only a limited amount of information can be held

in short-term memory at once, some marks will be given priority over others.

The information conveyed by these marks should be central to the display's

message. Further, some kinds of comparisons are difficult for the visual system

to perform, and hence a display should not require use of them (cf. Cleveland,

1985). These facts are the basis for two kinds of principles:

Processing priorities. Some colors, weights of line, and sizes are

noticed before others. For the most part we do not have formal rules for

determining which these are, but instead rely primarily on a general principle:

the visual system is "a difference detector". Any sharp contrast will draw

attention. In addition, some stimulus properties have been determined

empirically to be "salient" (e.g., all other things being equal, a

yellowish-orange is noticed before a deep blue; see Frisby, 1984). Physical

dimensions of marks should be used to emphasize the message, not to distract

from it (e.g., by making the background too prominent).

Processing limitations. These principles fall into two categories.

Finite capacity: At the most, only about 7 perceptual groups can be seen at

a single glance, and only about 4 can be held in mind at once (e.g., Ericcson,

Chase and Falon, 1980). Displays should contain no more than 4-7 perceptual

groups.   Unit binding: It is more difficult to see and compare parts of

a single perceptual unit than it is to see and compare entire units (see

Clement, 1978). For example, a triangle is easy to see in a Star of David,

whereas a parallelogram is not (Reed, 1974). Displays should not require

readers to decompose perceptual units in order to extract specific information,

as occurs if single points along a line must be interpreted.

The within-level mapping principle. Much of the meaning of a

display arises from how the mark are organized into a complex symbol. Portions

of the chart or graph that are meant to correspond to other portions of the

chart or graph should do so unambiguously. The key, for example, should

clearly indicate how labels are paired with different components of the

specifier. This principle is distinguished from the principles of perceptual

organization in the following way: When a principle of perceptual organization

has been violated, the violation can be corrected by rearranging marks already

in the display (by repositioning lines and the like). In contrast, when the

within-level mapping principle has been violated, new marks must be added

(e.g., lines or arrows connecting parts); a necessary ingredient is missing

when this mapping principle is violated.

Applying the analytic scheme

The analytic scheme is designed to reveal violations of the principles

that impair the effectiveness of the chart or graph. In order to do so,

however, one must generate a description of exactly what is out there, exactly

how a chart or graph is composed. Thus the scheme requires one to engage in

two distinct activities. First, one actually describes the chart or graph.

This is especially the case at the syntactic level. Second, one asks questions

about the description, checking to ensure that it is unambiguous and

transparent. If not, one or more of the principles has been violated. When a difficulty has been encountered, one simply checks the various principles, considering whether each has been violated. The level of detail of the description proper is motivated by the kind of information one will need later on to assign a semantic interpretation, and then a pragmatic evaluation, of the chart or graph -- again with an eye toward discovering violations of the respective types of acceptability principles.

At the outset, we ask whether the chart or graph is composed of a number of subcharts and graphs. That is, we ask whether there is more than one chart or graph present and whether there are systematic relations among the information in each. If so, the scheme is applied to each one separately and then to the set of charts and graphs together. The following is a description of how the scheme is applied to a single-panel chart or graph. In order to make this description more concrete, we will work through a simple example; the Appendix presents a complex multi-panel example. The example considered here is illustrated in Figure 3, which was taken from a Department of Transportation manual. In each section of the following discussion, we first will consider the descriptive procedure and then will turn to the results of applying it to Figure 3. We begin by isolating the four basic-level graphic constituents.

Insert Figure 3 Here

_ _ _ . beginning the analysis, it is important to point out the distinction between a "violation" of a principle and a "flaw" in a display. Not all violations will necessarily impair reading the chart or graph at the level of detail intended by the designer. Violations reveal difficulties in

extracting all of the information potentially available in a display, but this may be far in excess of that required to use the display as intended. We cannot distinguish between a violation and a flaw on the basis of the display alone; the distinction depends on knowing the purpose and context of the display (pragmatic considerations).

Background

We first ask whether there is a background and, if so, we describe it. A background extends beyond the framework and does not actually help to convey the information in the display; removing the background would not impair how the chart or graph functions to represent information. We ask whether the background consists of patterns that make it difficult to detect the lines and regions delineated the other constituents (and hence, violate the principle of adequate discriminability).

Example

The background in Figure 3 is blank white.

Framework

We ask whether there is an outer and inner framework, and ask the following questions (as appropriate).

Outer framework

We define the outer framework as the set of lines that serve to define the general entities that are addressed in the display. We ask: What are the elements? Are they lines? Are they regions? What is their shape, weight, and color? Are they clearly discernable? If lines function as axes, are they dense or differentiated? We note whether the framework and its individual component parts are easily identified.

We next ask, how are the elements organized? Are the relations among

the different parts clear? Does the juxtaposition and composition of the elements result in an inappropriate perceptual organization? How many elements must be held in mind at once in order to organize them into the entire framework?

Inner framework

We next apply the same questions to the inner framework, if one is present. In addition, we ask whether the inner framework masks or distracts attention from the elements of other constituents of the display.

Organization of inner and outer frameworks

Next, we consider the organization of the two frameworks, if both types are present. In particular, we ask how the similarity, proximity, and continuity of framework elements imply organization.

Following this, we ask a number of general questions about the entire framework: Does the framework represent 2D or 3D space? Are quantities distorted because of an ambiguity here? Is color employed in the framework; if so, what is emphasized? If line weights are varied, what is emphasized? (This will be important later in our pragmatic analysis). Which axis is longer?.

Example

Outer framework

Elements. The outer framework is composed of two vertical straight lines, which are syntactically dense, and two horizontal straight lines, which are syntactically dense. The lines are black, medium weight.

Organization. The elements of the outer framework are connected to form a rectangle, with the vertical axis

being longer.

Inner framework

<u>Elements.</u> The elements are 7 straight vertical lines,
which are syntactically dense and light black.

<u>Organization.</u> The lines are spaced evenly.

Organization of inner and outer frameworks

The parallel lines of the inner framework are connected
to the top and bottom horizontal lines of the outer
framework, terminating at those lines.

Overall

The display is in 2D, with no apparent distortions;
no part of the framework is emphasized. The vertical
axis is longer.

Specifier

We begin by isolating the class of visual continua used to represent
information. We then describe how shape, size variations, color and texture
are used. We go on to ask: What are the elements used to compose the
specifier? Is it clear whether parts are overlapping or contiguous? Are
there too many elements to keep in mind at once? Are variations used to convey
information clearly distinguishable? Do all attention-drawing variations
convey information?

We then ask, how are the elements organized? Is the organization
clear? If the specifier does not clearly imply a 2D shape, does an ambiguity
in the dimensionality preclude easy reading of the information?

Example

Elements

There are 5 rectangles, divided into black and white
portions by a vertical line, with the left side being
black; or, the elements are 5 black rectangles and 5
white rectangles. It is not clear whether parts are
overlapping or contiguous. This is our first violation
of an acceptability principle; violations will be
indicated as follows:

> VIOLATION. Principles of perceptual organization.
> It is not clear whether there are bars divided into two
> segments, or separate white and black bars juxtaposed.
> That is, it is not clear whether the white rectangled are
> to be viewed as representing just their own width, or
> their width plus the width of the black rectangles.

Organization

The bars are spaced one above the other with
the leftmost ends aligned. Each bar is divided into a
black part and a white part. Alternatively, each white
rectangle abuts the rightmost end of a black one; these
pairs of rectangles are spaced vertically, with the
leftmost ends of the black rectangles being aligned.

Labels

We next consider three kinds of labels independently, and then turn to
an analysis of the relations among them. The following questions are asked
about all labels, including those in the title and key.

Alpha labels

Are letters or words used as labels? If so: Are they clearly readable?

How many are present? What is the size, color, and weight of the typeface used for each of the labels? If color variation is used, are variations clearly discriminable? How do labels group together? Is the perceptual grouping congruent with the intended interpretation?

Numeric labels

Are digits used as labels? If so, ask of them the same questions asked of the alpha labels.

Depictive labels

Are pictures used as labels? If so, are they clearly identifiable? How many are present? Are they all the same size? How do these labels group together? Is the perceptual grouping congruent with the intended interpretation?

Title

We pay special attention to the title, asking first whether there is one. If so, we ask: Is the title clearly discriminable as a title? What is the relation of the title to other elements of the chart or graph? Does it perceptually group incorrectly, so that it appears to label only a local part of the chart or graph?

Key or legend

Next, we consider whether there is a remote legend or key. If so, we ask: Is the information clearly readable? Does the legend clearly separate itself from other elements of the chart or graph? Is there too much material to be easily held in memory?

Organization of the different types of labels

We next ask about the organization of the labels, examining the relations among each type of label. We ask: Do perceptual organization

principles result in an incorrect organization of the labels? In particular,

does dissimilar typeface cause the reader to separate labels that should be

grouped together? Does proximity of labels cause one to group them improperly?

Are labels ordered in such a way that one groups them improperly?

Example

Alpha labels

The words are readable. Three sizes of typefonts are

used, they will be referred to as "large," "medium,"

or "small." The font used to label the horizontal axis

is smaller than that used for the title, vertical

axis, or key.

> VIOLATION. The principle of processing priorities.
>
> The size of the letters labeling the two scales ("Feet"
>
> and "Miles Per Hour") is varied arbitrarily, making one
>
> more salient for no reason.

Numeric labels

There are 5 numbers in a vertical column at the left;

5 in vertical column at the right; and 6 in a

horizontal row at the bottom. The font used for the row

at the bottom is smaller than the font used elsewhere.

> VIOLATION. Principle of processing priorites. The
>
> numbers at the bottom are small, leading one to notice
>
> them only after the other numbers.

Depictive labels

Pictures are not used, but the key is depictive, consisting of

a black rectangle and a white rectangle. The two rectangles in

the key are adjacent to each other.

Title

A very large font is used. The title is above and centered. Its large size makes it distinct from the other labels and provides it with sufficient scope to encompass the entire display.

Key or legend

It is clearly separated, and it can easily be held in short-term memory.

Organization of the different types of labels

Alpha and numeric. At the left is the label "Miles Per Hour," above the column of numbers. At the right is the label "Total Distance," above the column of numbers. At the bottom is the label "Feet," to left of row of numbers.

> VIOLATION. Principle of perceptual organization.
> The size of the marks used as labels on the vertical
> axis and the size of the marks used as numbers are
> different, with the larger font used for the numbers
> making it difficult to see them as grouped with the
> label.

Numeric and depictive. No cases.

Alpha and depictive. The labels are to the right of white and black bars in the key.

Organization of the framework, specifier and labels

We now turn to the overall organization of the display. A badly organized display can be unreadable because the mappings between

information-bearing components are opaque.

Organization of framework and specifier

What is the relation of the framework to the specifier? Is the specifier completely contained within the framework? Do lines of the inner framework violate boundaries of the specifier? Do perceptual organizational principles cause the reader to group the framework and specifier incorrectly? If the dimensionality of the space is not 2D, is it consistent between the framework and specifier? These questions are asked separately for the outer and inner frameworks (if appropriate).

Organization of framework and labels

The organization of the framework and each type of label is considered separately, with the following questions being considered (as appropriate): How are the labels associated with the framework and parts thereof? Are value markings indicated along the framework? If so, do the labels clearly indicate the correct values corresponding to the associated portion of the framework? Do any perceptual organization principles result in an incorrect organization of the framework and labels?

Organization among labels and specifier

How are the labels and specifier associated? Is all specifier material labeled? If the label is remote, in a key, is the mapping from elements in the key to the specifier clear? Do any perceptual organization principles result in an incorrect organization of the labels and specifier?

Organization among labels, framework, and specifier

Is too much material present to apprehend all at once? Is so much material in a small area that it is difficult to discriminate the relations among the elements of the different constituents? Do perceptual organizational

principles impair discerning the correct relations among the constituents?

Example

Organization of framework and specifier

Outer framework and specifier. The bars abut the left
vertical line, extending to right; the bars are
enclosed in the frame.

Inner framework and specifier. The bars are superimposed
over the inner grid. The vertical internal lines of
the inner framework do not violate the boundaries of
the rectangles, nor do they group improperly with the
specifier.

Organization of framework and labels

Alpha. The title is at the absolute top of the display;
the labels in the key are directly above the highest
horizontal line of the outer framework. The left
vertical and bottom line of the outer framework are
labeled. There is a label at the top lef
the display, and another label at e bottom, with the
first letter directly under extreme left end of the
bottom horizontal line.

VIOLATION. Principles of perceptual
organization. The "Miles Per Hour" label is not
immediately associated with the vertical scale,
being equally close to the horizontal line at
the top.

The "Total Distance" label is at the upper right,

above the top horizontal line; it is centered within
the segment defined by the righmost vertical line of
the outer framework and first line of the inner
framework to its left.

> VIOLATION. Principles of perceptual
> organization. The "Total Distance" label is
> closer to the top horizontal line than the
> column of numbers, and is not immediately
> grouped with the proper elements of the display.

Numeric. There is a column on the left, regularly spaced
outside and to left of leftmost vertical line of the outer
framework. There is a row on the bottom, under the
horizontal lower line of the outer framework; a number
appears under each line of the inner framework, but
there is no number under the last internal line on the
right. There is a column on the right, evenly spaced,
centered between the rightmost outer line and the
first internal line to its left.

Depictive. The depictions in the key are above the
horizontal line defining the top of the framework.

Organization among labels and specifier

Alpha. No cases.

Numeric. There is a 1:1 alignment between numbers in the
column at the left and the bars; the grouping here is
clear. In contrast, the 1:1 association between
numbers in the column at the right and bars is not

clear.

> VIOLATION. Principles of perceptual
>
> organization. Numbers are not clearly grouped
>
> perceptually with the appropriate bars.

Depictive. There are black and white key labels in same

order as black and white portions of bars.

> VIOLATION. The within-levels mapping principle.
>
> It is not clear whether the white rectangle in
>
> the key corresponds to only the white part of the
>
> pictorial material (bars) or to the entire bar.

Organization among labels, framework, and specifier

Description of the pair-wise relations among the

constituents is sufficient; no special problems emerge

from the relations among the constituents taken as a whole.

DIAGNOSING VIOLATIONS OF "ACCEPTABILITY" PRINCIPLES:

II. THE SEMANTIC ANALYSIS

We again begin by briefly outlining acceptability principles, and then

turn to the method of describing and analyzing the semantic information in a

display. In addition, it is at this level that the differences between charts

and graphs per se as such become important, requiring us to develop two

different sorts of semantic interpretations, one based on qualitative relations

and other based on quantitative relations.

Acceptability principles

Let us consider four classes of semantic principles. These principles

describe constraints on the ways patterns of marks are interpreted. A semantic

principle is tied to how a specific meaning can be extracted from a configuration of marks. These principles were derived partly through a review of the literature on how people spontaneously describe visual displays, and partly by generalizing from psycholinguistic phenomena (Clark and Clark, 1977). If semantic principles are violated, a reader will find the display confusing.

Principle of representativeness

All marks have a preferred interpretation. The intended meaning of a mark should not conflict with the spontaneous interpretation of it (see Jolicoeur, Gluck, and Kosslyn, 1984). Thus, labels should name words that are indicative of the class (including the correct connotations) and pictures should depict appropriate objects (a picture of a penguin-like bird should not be used to label birds in general). In short, a label or picture should be of a representative or typical example of a class or of the class directly.

Principle of congruence

This principle has three aspects.

Surface compatibility. The appearance of the lines and regions themselves should be compatible with their meanings. For example, people have trouble reporting the color of the ink used to print a word if the words themselves name other colors (e.g., the word "red" is printed in blue ink; this is known as the "Stroop effect"). Similarly, if "left" and "right" are labels along the X axis, the "left" label should be physically to the left (this constraint is sometimes violated in the literature on the specializations of the cerebral hemispheres). In general, larger areas (mentally categorized as "larger") should represent larger quantities, faster rising lines should represent sharper increases, larger typeface (if used) should correspond to larger objects, and so on. Color presents a special case of surface

compatibility: although the physical spectrum is ordered in terms of wavelength, colors are psychologically arranged around a circle, not a line (Kaufman, 1974). Thus, it is difficult to align colors with quantities. If color is used, intensity or saturation should covary with hue so that lighter colors correspond to higher values.

Ordering. Pairs of words should be ordered in a specific way, not only in English but in other languages. We say "bread and butter," not "butter and bread." The shorter, less stressed word goes first; if it does not, the phrase will not immediately correspond to a stored memory (see Pinker and Birdsong, 1979).

Markedness. Some words not only name a pole of a dimension but the dimension itself. We say "how high is that ?" without implying necessarily that it is high; but if we say "how low is that?" we imply it is low. The term that implies a specific value is called the marked term, and should not be used to label the dimension itself -- if it is, it will mislead the reader (see Clark and Clark, 1977).

Principles of schema availability

In order for a chart or graph to be comprehensible, a reader must have the requisite concepts. That is, a "compliance class" is in fact something in a reader's head. The reader must know both the individual concepts and the general idea of how a particular graphic design conveys information. We can distinguish among three aspects of this requirement.

Concept availability. A chart or graph should not make use of concepts that are not likely to be possessed by the intended readership.

Cultural convention. The conventions of a reader's culture should be obeyed when drawing an effective graphic display. So, for example, the

color red should not be used to represent "safe" areas, and green should not be used to signify "danger." Similarly, time should increase going left to right or bottom to top.

Familiarity. Information should not be presented in a graph type that is unfamiliar to a given readership.

The between-level mapping principle

In the course of describing the semantics of a display we are faced with describing how the marks map into semantic classes. Thus, it is at the point of formulating the semantic description that it is important to ensure that a) every meaningful difference in the value of a variable is represented by detectable differences in marks, and b) every mark should have one and only one meaning. Ambiguous or missing marks violate this principle and require an alteration at the level of syntax.

Types of semantics

The actual information conveyed by a chart or graph depends on the interrelations among different components of the display. Thus, in evaluating how well a display conveys meaning we will decide which of two general kinds of rules of combination is used, and then will consider whether one can derive the appropriate information. One class of rules is appropriate for graphs. These rules specify quantitative relationships between two or more values on two or more scales. The other class of semantic rules of combination is appropriate for charts. These rules specify the qualitative structure or organization of entities.

Quantitative relational information

Perhaps the best way to present the formal properties of this aspect of graphic semantics is in tabular form. Thus, Table 1 relates values on two

scales to each other. We consider all possible combinations of nominal,
ordinal, interval and ratio scales except the nominal-nominal relations (which
fall into the second class of rules). Nominal scales are not ordered, with
numbers being used as names (as on the backs of football players); ordinal
scales are rank-ordered according to quantity, but the actual magnitudes of
differences are not specified (as in the first, second and third place winners
of a race); interval scales are ordered so that the magnitudes of differences
mean something, but ratios of numbers do not (as in Farenheit degrees, which
have no "natural" zero); finally, ratio scales have numbers that are ordered so
that the magnitudes of differences are important and ratios can be computed (as
in Celsius degrees, where 10 degrees is twice as hot as 5 degrees -- which is
not true with Farenheit degrees). In addition to providing an example for each
in the table, there are examples of the kinds of information available in each
case. Extensions to n-dimensional cases follow in a straightforward manner
from the simple two-dimensional cases considered here.

Insert Table 1 Here

The information content of a graph can then be assessed by interpreting
the individual axes, noting the scale types and how points are paired via the
specifier(s), and then using the taxonom· in the table to derive the
appropriate kind of information one should be able to extract. If this
information is not clear, there may be a failure of within-level mapping (the
specifier is not clearly serving to pair points on the framework) or a failure
of between-level mapping (a part may be missing). (Violations of many other
principles can also distort the relationship, depending on problems in seeing

the specifier or organizing parts of it correctly.)

Structural/organizational information

A computer flowchart, an organizational chart for a government agency, and a family tree do not relate values on quantitative dimensions. Rather, they specify the relationships among discrete members of a set. This sort of information can be described using the following three general criteria. These criteria are orthogonal.

The first criterion is whether the links between entities are directed or nondirected. Elements of the framework (i.e., marks indicating an individual member of the set) can be related together either by symmetrical or by asymmetrical relations. For example, in a kinship diagram, the vertical links of the tree are directed, indicating who is the parent of whom (an asymmetrical relation). The horizontal links, such as "sibling of" (a symmetrical relation), are nondirected.

The second criterion is how many types of links are used. More than one kind of relation may be used in a graph. In a kinship diagram, for example, "cousin-of" and "brother-of" may both be present. In a computer flowchart, only a single type of arrow -- indicating which operations follow one another -- occurs.

The third criterion concerns the type of mapping used. There are three classes of mapping: One:One, Many:One (or One:Many) and Many:Many mappings, which we will consider in turn:

One:One mappings. In this case links in a chart might indicate how husband and wife pairings occur by drawing lines connecting points representing the location of each individual at a cocktail party.

Many:One or One:Many mappings. In this case, it is important to

consider separately directed and nondirected links. With directed links,
inclusion relations may be indicated by a Many:One mapping such as occurs in a
hierarchy where many objects are organized under a superset. With nondirected
links, collateral relations are indicated. If all diplomatic relations were
symmetrical, links on a map illustrating the diplomatic relations of any one
country would represent this sort of mapping.

Many:Many mappings. In this case, the multiple affiliations of a
number of different objects can be represented. For example, a chart might
represent different social classes by a drawing of a typical member of each,
and might represent different social institutions by drawings of typical
buildings (e.g., a church or a bank). Lines could connect the people to the
institutions to which a majority of the represented class belong.

In charts, then, the nature of the mapping must be clearly indicated by
the specifiers. Too many arrows can obscure mappings among elements, as
sometimes happens in tangled organizational charts. Directionality and
specific meaning (achieved via labels) should be clear. In actually describing
a chart, we are careful to consider what kind of information is being
(hierarchial, relational, etc.). We the ___ ___ hether the recifiers
effectively convey the meanings of the relations among the framework elements.

Applying the analytic scheme

As in the syntactic analysis, we decompose the problem of describing
the semantic content (the literal meaning) of a graphic display into four
parts: characterizing the background, the framework, the specifier and the
labels. In this case, however, we do not examine the interrelations among the
basic-level constituents as distinct from the constituents themselves; as was
just noted, in large part the meaning of the display derives from the

interrelationships among the constituents, and thus we consider the

interrelationships as we consider the constituents themselves. As before, we

look for violations of the acceptability principles that come to light when the

display is being analyzed. It is of interest that many of the problems noted

in the syntactic analysis come home to roost here in a different guise, which

is not surprising given that the semantic interpretation rests on the nature of

the marks themselves.

Background

If the background is patterned, the meaning of the pattern should be

consistent with the information presented in the chart or graph. If background

figures are present, do they distract from the meaning of the chart or graph?

Are the elements of the background ambiguous? Do parts of the background

occlude parts of the framework such that information is lost?

Example

There are no background figures in Figure 3.

Framework

As before, we ask about the outer and inner framework separately.

Outer framework

We begin by asking whether the display is a chart or graph. In so

doing, we consider whether meaning of the elements of the framework is

unambiguous. We note whether any part is missing and not clearly implied. For

graphs, we next assess the scale type along each axis and note whether the

semantic scale is clearly indicted syntactically. For instance, if the scale

used on the axes of a graph is syntactically dense, the semantics -- the actual

scale being represented -- should be semantically dense. We next note the

extent of the dependent measure scale, attending not only to its range, but to

the baseline. This may prove important in the subsequent analysis of the pragmatics of the chart or graph.

In addition to these questions, we check whether the lines that compose the framework depict an object. (This is quite common in many popular magazines). If so, we ask: What is depicted? Is the meaning clearly evident, and is the depicted object clearly representative of the class of objects being depicted?

Inner framework

We ask what is the purpose of the inner framework, and whether the increments it defines are clearly evident.

Example

Outer framework

Figure 3 is a graph, with the outer framework representing a Cartesian coordinate space, with the dependent variables along the X axis and the independent variable along the Y axis.

<u>Vertical axis.</u> The vertical axis represents a ratio scale, with the origin at the top of the line. Although this scale is semantically dense, it has been differentiated into five discrete values with values increasing as one descends down the line. The scale ranges from 0 to 300. We cannot decide whether or not the division into discrete values is a violation without knowing the purpose of the display, however the ordering of the values is problematical at a

semantic level:

>VIOLATION. Principle of congruence.
>Larger values should be indicated by physically
>higher marks.

Horizontal axis. The horizontal axis is a ratio
scale, with the origin at the left and values
increasing as one moves to the right.

>VIOLATION. Principle of schema compatibility.
>The origin of the two axes in a Cartesian
>space is usually the same point (the lower
>left intersection of the axes), which is not
>true here.

Inner framework

The vertical lines serve to help one assess amounts along
the bars; they clearly mark off increments of 50
feet.

Specifier

The meaning of the specifier is derived from how it maps one part of
the framework onto another. For a chart, this consists of grouping discrete
entities. For a graph, this consists of pairing values on one scale with
values on the other, making available the appropriate types of information note
in Table 1. We ask the following questions about the meaning of the specifier.
First, what information is specified? Is it clear what kinds of relations are
specified? Is every distinction in the specifiers informative? Does every
conceptual distinction correspond to a visible distinction among marks? Do
marks used to represent different things look more different than marks used to

represent the same thing? Is the literal interpretation of the marks

compatible with the role they play?

A special case of this last concern occurs when the specifier is a

depiction (e.g., a graph of rising prices could have a jet plane taking off,

with the contrail coming out of its exhaust serving as the function); if so, we

ask: Are the depictions clearly representative of the compliance class in

question? One would not want a picture of a potato to stand for "plant life,"

for example (since potatoes are hardly typical -- in Rosch's (1978) sense --

plants).

Example

> The specifier is serving to map discrete values on the
>
> vertical axis to continuous values on the horizontal
>
> axis, although both are ratio scales. Two functions are
>
> plotted: The length of the white rectangle represents
>
> average braking distance. The length of the black
>
> rectangle represents average reaction distance. Each
>
> pair of rectangles represents a discrete and different
>
> speed. The relationship between average braking and
>
> reaction distance is implicit in the relationship
>
> between the length of the black and white portions of
>
> the bars.
>
> > VIOLATION. Between-levels mapping principle. The
> >
> > ambiguity in how to describe the specifier on a
> >
> > syntactic level precludes one's having a single
> >
> > interpretation at the semantic level.

Labels

In the same vein, the labels along the axes should be compatible with the actual scale being used and with the markings along the axes; the numbers spaced along the axis should suggest the correct scale type. For each type of label, we ask the following questions.

Alpha labels. What are the labels? Are the words ambiguous? Are the meanings of all the words representative of the class being indicated?

Numeric labels. What are the units? Are they clearly specified? Are the units familiar?

Depictive labels. Are pictures used as labels easily identified? Are they familiar to the intended readers? Are the marks used to depict clearly representative of the concept represented?

Organization among labels

We next ask whether it is clear how the words label numerical values and depictions, and whether it is clear how depictions label numerical values (if relevant).

Example

Alpha labels

There are English words labeling the values of units on the axis, words labeling two small bars in the key, and a label for the total distance column. English words also label the graph as a whole. The words are not ambiguous, however the labels of the left part of the key is incomplete.

VIOLATION. The between-levels mapping principle. The failure to include the word "distance" on the alpha label associated with the left bar in the key is misleading; no contrast is intended with the right

label.

Numeric labels

Distances are specified in feet, and speed is specified in

miles per hour. Total braking distance is also provided. The

units are clear and likely to be familiar to US audiences.

Depictive labels

No pictures are used as labels. The color of the bars in the

key has no intrinsic meaning.

Organization among labels

Alpha and numeric. The words clearly label scales, and

the numbers index values on the scales.

Alpha and depictive. The words clearly label the

meaning of the bars in the Key.

Numeric and depictive. No cases.

DIAGNOSING VIOLATIONS OF ACCEPTABILITY PRINCIPLES:

III. THE PRAGMATIC ANALYSIS

In a typical graph, such as that illustrated in Figure 1, the line

serving as a function is not syntactically differentiated. Indeed, the axes of

Figure 1 themselves are not syntactically differentiated. Thus, this would

seem to preclude the graph's being unambiguous; recall that syntactic

differentiation is a prerequisite for unique mapping from mark to compliance

class. However, one must consider what is the intended use of the chart or

graph. For many purposes only a rough approximation is intended, especially

when graphs are idealizations intended to illustrate some general point (such

as Figure 1). In these cases providing additional precision would distract

from the point of the display. Thus, the prior analyses must be regarded as

producing candidates for flaws in a display, and the purpose and context must

be taken into account to discover whether these amount to real problems.

In addition, as in language, not all the information humans garner from

charts and graphs is dictated by the literal interpretation of the marks on the

page. If the number of AIDS victims were indicated in a bar graph by

increasingly higher piles of bodies, to take a grisly example, the reader would

probably not simply register the literal information conveyed by the height of

the column. This aspect of communication with charts and graphs has been

discussed at some length by Huff (1954) in his classic book, How to Lie

with Statistics.

The acceptability principles introduced in this section are concerned

with these kinds of "pragmatic" aspects of communication, focusing on the

importance of the purpose of a display, its context, and the indirect meaning

conveyed. These acceptability principles were formulated in part by

constructing demonstrations in which visual properties were manipulated to

produce misleading descriptions of the specifier. We also considered the

rather direct correspondences that exist between graphs and language, adapting

similar principles for language offered by Grice (1975).

Acceptability principles

Three classes of principles capture the pragmatic considerations we use

in evaluating charts and graphs. The classes contain numerous individual

principles, however, but we will not develop them here. The classes are:

Principles of purpose-compatibility

Displays are often used for two kinds of purposes, communication and

analysis (e.g., see Bertin, 1983; Chambers, Cleveland, Kleiner and Tukey, 1983;

Fisher, 1982; Kosslyn, 1985; Schmid, 1983; Tufte, 1983). Depending on the

purpose and intended users, one would or would not place a premium on

esthetics, ease of interpretation, completeness, and so on. A cardinal rule

here is that <u>no more or less information should be provided than is needed</u>

by the reader (cf. Grice, 1975). In addition, depending on the purpose,

different graph formats are more or less appropriate. For example, if one

wants a reader to see an interaction, a line graph is better than a bar graph:

not only is a line a single perceptual unit, and hence there will be less to

hold in short-term memory, but we are good at detecting slope differences --

which convey the relevant information (see Pinker, in press). Indeed, experts

learn to recognize patterns formed by lines, which come to function as symbols

in their own right (e.g., signifying a crossover interaction). In contrast, if

one wants the reader to compare specific point values, a bar graph is better

than a line graph: not only are the discrete values indicated by the tops of

the bars, but one does not have to disrupt the single unit formed by the line

(as was discussed earlier).

Principles of invited inference

Although a chart or graph may convey the correct information on the

semantic level, it may invite us to misread it anyway. This can be done in

numerous ways: truncating scales so that small differences appear larger;

varying the type of scale used (interval vs. logarithmic, for example); using

inferred 3-D properties of a display so that we see bars as bigger than they

are, and so on. Some of these principles are directly reflected by Huff's

(1954) observations about how to lie with statistics.

Principles of contextual compatibility

Most displays are embedded in a context, either in text or in an oral presentation. The context and the semantic interpretation of the display must be compatible or comprehension of the display will be impaired. The terminology used in the display should be the same as that in the text or ..esentation, and the ::splay should be presented at the p: the reader will want to access the information.

Applying the analytic scheme

We again consider first each of the four basic-level constituents, and then turn to questions about the organization among them. This analysis differs from the earlier ones in an important respect: The syntactic analysis resulted in a rather rich description of the chart or graph itself. This was necessary because elements of the syntax feed into the semantic properties, and hence we needed to have the chart or graph described in a way that would allow us to consider each of the semantic principles. At the level of the semantic analysis, there was much less description per se. And only some of the semantic aspects of the chart or graph are relevant for this later pragmatic analysis. The pragmatic analysis itself, then, produces very little in the way of a further description of the chart or graph. Rather, the existing description is now rich enough, from the level at which the thickness and color of the lines is noted to the level at which the elements are interpreted, to allow us simply to ask questions that probe for violations of specific principles. Thus, this analysis consists entirely of questions, as indicated below. These are "leading questions" in that the answers reveal violations of the acceptability principles described above.

Background

Does the background imply information not explicitly stated in the

display (e.g., as might occur if the background was a photo of war dead)? If
so, are the implications of background material consistent with the message and
the content?

Example

There is no background in Figure 3.

Framework

We ask questions to determine whether the form of the framework leads
the reader to extract the intended message easily: Is there a truncated axis?
Does this mislead in ways not intended by the graphmaker? Are scales
transformed? Is this compatible with the point of the display? Are value
markings indicated sufficient for intended purposes? If there is an inner
framework, are the distinctions demarked fine enough to access the necessary
information, or are they too fine, distracting from the relevant divisions? If
the framework is also serving to depict, does the meaning of the depiction help
or hinder understanding the content of the chart or graph?

Example

The axis is not truncated, nor are the scales transformed.
Without knowing the intended purposes of the display, we
cannot decide whether the value markings indicated are
sufficient for intended purposes.

Specifier

We ask: Are the most appropriate type of specifier elements used? For
example, are lines used to convey trends, and bars to convey point values? Is
more or less information present than is necessary to answer the relevant
questions? Are some equivalent elements made to appear more important than
others (by color, width of lines and so on)? Is this appropriate given the

point of the chart or graph? Does it help or hinder understanding its meaning?
If the specifier depicts information, does the meaning of the depiction help or
hinder understanding the content of the display? If 3-D is used, do
perspective effects distort the apparent sizes of different elements?

Example

> Most of the questions cannot be answered without knowing the
> purpose of the display. For example, the "average reaction
> time" is darker and more salient; we cannot know whether this
> is appropriate without knowing the purpose of the display.

Labels

Are words consistent with the terminology of the text? Are labels
complete? Are labels cryptic or verbose?

Example

> It is difficult to answer these questions without knowing the
> purpose of the display. However, given the inclusion of the
> inner grid lines, the reader presumably was intended to
> ascertain more than simply the "Total Distance" values; if
> this was not intended, the inner framework should be elimin-
> ated.

General context

Does adjacent material on the page distract from or enhance the graph,
an vice versa? Does redundancy, if present, help or hinder understanding of
the graph?

Example

> (The text was not provided.)

CONCLUSIONS

The present analytic scheme is designed to reveal features of displays that result in their being difficult to understand. This scheme depends on looking very carefully at a display, and generating a detailed description of it at three levels of analysis. At each level, we consider the nature and role of the background, framework, specifier, and labels, and we consider the interrelations among these constituents. Whenever we have difficulty generating the description, we consider whether one of the acceptability principles has been violated. This exercise proves to be a systematic and exhaustive way of characterizing potential problems with a display.

The present analysis is intended to be at the most fine-grained, "picky" level possible. It is important to emphasize that many of the "violations" we identified would in fact be irrelevant, but this cannot be known without knowing the purpose of the display. That is, charts and graphs are created with a specific purpose in mind; they are intended to allow a reader to answer certain questions and not others. Thus, although an acceptability principle may be violated, the chart or graph may not be flawed -- it may still be able to serve its purpose adequately. For example, the sample graph illustrated in Figure 1 violates what we called the "within-level mapping principle" because the points on the function do not correspond unambiguously to points on the axes. But this is not an impairment in the graph, given its purpose. In fact, when graphs are used as idealizations to present a general principle, the additional information necessary to totally disambiguate the display may distract from the purpose -- violating the pragmatic principle of purpose compatibility by providing more than is needed.

Thus, although the analytic scheme faithfully exposes every little

detail that violates an acceptability principle, not all of these violations

may be important; whether a violation of a principle renders a display

ineffective depends on the purpose to which the display will be put. The

scheme errs on the side of being too conservative, leaving it up to the human

user to discount particular violations as appropriate. This was the only real

option, given that all other alternatives run the risk of not exposing

potential problems with the chart or graph.

The present analytic scheme has been designed to analyze existing

displays. However, it can also be of use in the design process itself. One

could begin with an draft of a display, apply the scheme, and then correct

violations of the principles. Better yet, one could keep the principles in

mind from the outset, and check each component as the display is being created.

Although the present system does not guarantee that one will produce the best

possible display, it does virtually guarantee that one will produce a good

display. A good display, after all, is one usable by human beings.

Footnotes

1. At one time, I considered introducing a set of "primitive elements" and relations that would provide a fixed "alphabet of shapes" to be used in all analyses. This proved very difficult to do, however, and proved to be totally unnecessary for present purposes. The wide variety of charts and graphs seems to preclude specification of a reasonably small set of discrete elements from which all charts and graphs can be constructed, but even if this were possible, the important variations seem to occur at the "basic level" of organization into the graphic constituents noted above.

References

Bertin, J. (1983). Semiology of Graphs (Trans. W. J. Berg). Madison, WI:
    University of Wisconsin Press.

Chambers, J. M., Cleveland, W. S., Kleiner, B., and Tukey, P. A. (1983).
    Graphical Methods for Data Analysis. Belmont, CA: Wadsworth.

Clark, H. H., and Clark, E. V. (1977). Psychology and Language. New York:
    Harcourt Brace Jovanovich.

Clement, D. E. (1978). Perceptual structure and selection. In E. C. Carterette
    and M. P. Friedman (Eds.), Handbook of Perception, Vol IX. New
    York: Academic Press, 49-84.

Cleveland, W. S. (1985). The Elements of Graphing Data. Monterey, CA:
    Wadsworth.

Dodwell, P. C. (1975). Pattern and object perception. In E. C. Carterette ad
    M. P. Friedman (Eds.), Handbook of Perception, Vol V. New York:
    Academic Press, 267-300.

Ericsson, K. A., Chase, W. G., and Faloon, S. (1980). Acquisition of a memory
    skill. Science, 208, 1181-1182.

Fisher, H. T. (1982). Mapping Information. Cambridge, MA: Abt Books.

Frisby, J. P. (1980). Seeing: Illusion, Brain and Mind. New York: Oxford
    University Press.

Garner, W. R. (1974). The Processing of Information and Structure.
    Hillsdale, NJ: Lawrence Erlbaum Associates.

Goodman, N. (1968). Languages of Art: An Approach to a Theory of Symbols.
    Indianapolis: Bobbs-Merrill.

Grice, H. P. (1975). Logic and conversation, in P. Cole and J. L. Morgan

(Eds.), Syntax and Semantics, Vol 3: Speech Acts. New York:

Seminar Press, pp 41-58.

Hochberg, J. E. (1964). Perception. Engelwood Cliffs, NJ: Prentice-Hall.

Huff, D. (1954). How to Lie with Statistics. New York: W. W. Norton.

Jolicoeur, P., Gluck, M. A., and Kosslyn, S. M. (1984). Pictures and names:

Making the connection. Cognitive Psychology, 16, 243-275.

Kosslyn, S. M. (1985). Graphics and human information processing: A review of

five books. Journal of the American Statistical Association. 80,

499-512.

Kaufman, L. D. (1974). Sight and Mind: An Introduction to Visual

Perception. New York: Oxford University Press.

Marr, D. (1982). Vision. San Francisco: W. H. Freeman.

Norman, D. A. (1978). Attention and Memory. San Francisco: W. H. Freeman.

Pinker, S. (in press). A theory of graph comprehension. Cognitive Science

Pinker, S., and Birdsong, D. (1979). Speakers' sensitivity to rules of frozen

word order. Journal of Verbal Learning and Verbal Behavior, 18,

497-508.

Posner, M. I. (1978). Chronometric Explorations of Mind. Hillsdale, NJ:

Lawrence Erlbaum Associates.

Reed, S. K. (1974). Structural descriptions and the limitations of visual

images. Memory and Cognition, 2, 329-336.

Rosch, E., Mervis, C. B., Gray, W., Johnson, D., and Boyes-Braem, P. (1976).

Basic objects and natural categories. Cognitive Psychology, 8,

382-439.

Schmid, C. F. (1983). Statistical Graphics. New York: John Wiley.

Smith, S. L. (1979). Letter size and legibility. Human Factors, 21(b),

661-670.

Spoehr, K. T., and Lehmkuhle, S. W. (1982). Visual Information Processing.

San Francisco: W. H. Freeman.

Teghtsoonian, J. (1965). The judgment of size. American Journal of

Psychology, 78, 392-402.

Tufte, E. R. (1983). The Visual Display of Quantitative Information.

Cheshire, CT: Graphics Press.

Figures

Figure 1.   The basic-level constituents of charts and graphs.

Figure 2.   Three stages of visual information processing, with important

charcteristics noted; these characteristics are described in the text.

Figure 3.   A graph used to illustrate the analytic scheme, analyzed in the

text.

Figure 4.   A very complex graph used to illustrate the analytic scheme,

analyzed in the appendix.

Table 1. Information that should be available for different pairs of scale types.

Scale I	Scale II	Example	Examples of Information Available
Nominal	Ordinal	States by rank in coal production	Allow N(N-1)/2 inequalities statement to be made.
Nominal	Interval	Students by score on achievement test	Map N things into an infinite amount of classes. Comparison of differences.
Nominal	Ratio	States by coal production	Nonarbitrary zero point. Ratio comparison of items possible.
Ordinal	Ordinal	Ranked oil production by ranked coal production	Relative ranks. Comparison of disparties in ranks
Ordinal	Interval	Rank in classes by achievement test score	Numerical assignment of the relative position of some characteristic of an item.
Ordinal	Ratio	Ranked coal production by oil production	Relative difference or ratios of oil for different ranks.
Interval	Interval	Math achievement score by English achievement score	Differences on both dimensions. Difference in one dimension as a function of difference in other.
Interval	Ratio	Achievement scores by hours/week of TV watching	Mapping into nonarbitrary zero point scale specified relationships.
Ratio	Ratio	Coal production by oil production	Absolute amounts, differences in amounts, ratios, for both dimensions; value of one dimension as a function of other.

SPEED

WEIGHT

(Background)

Labels   Framework   Specifier

A. GRAPH

SCAN
LIST

FIND
X
?

YES

EXIT

NO

Labels   Framework   Specifier

B. CHART

AVERAGE STOPPING DISTANCE

NUTRITIONAL INFORMATION PER SERVING

SERVING SIZE   ONE CUP

SERVINGS PER
CONTAINER   8

Nutritional cont. ←

vit. A

vit. B1

vit. B2

vit. C

calc.

iron

prot.

needed per day

protein   4g

fat   0g

carbohy. 38g

→ 170 kilocalorie

Appendix

Figure 4 illustrates a very complex, multipaneled display. At one time this format was being considered for use on labels of foodstuffs. Unlike Figure 3, which is relatively easy to understand, r   : have difficulty deciphering the meaning of Figure 4. Thus, this display i: _ ;___ :: : of the utility of the present analytic scheme. It is of interest that the present system not only illuminates what is wrong with this display, but also provides insight into how to improve its design.

Insert Figure 4 Here

SYNTACTIC ANALYSIS

This display requires an initial analysis into panels, and a later analysis of the interrrelations among these displays.

Analysis into panels

The chart is divided into two graphs (left and middle) and a cluster of alpha and numeric material (hereafter referred to as the right table). The rightmost boundary of the left graph is defined by right justification of seven circles and blank space to the right of the circles. The rightmost boundary of the center graph is defined by annular white space between the small radial marks in the center of the page and the circular justification of the alpha material on the right.

Left Graph (LG)

LG Outer framework

Elements. A horizontal axis, indicated by the bracket on the
bottom. The axis is syntactically differentiated.

Organization. Except for the the presence of the bracket, the
outer framework is only implied (by the regular alignment
of the inner framework elements).

LG Inner framework

Elements. Twenty-eight closed curved lines, forming circles.
These are syntactically dense, and are printed in medium-weight black
ink.

Organization. The circles are aligned into columns via proximity.

> VIOLATION. Principles of perceptual organization.
> Proximity results in an organization into columns
> when an organization into rows is required. The vertical
> spaces should be larger than the horizontal ones.

Organization of inner and outer framerworks

The bracket encomposses the inner framerwork elements.

LG Specifier

Elements. Black quadrants of circles (i.e., subtending 90
degrees of arc.).

Organization. The filled areas are contained within LG inner
framework elements. When one of these elements appears in
a frame, it is positioned in the upper left quadrant. As
additional elements are added to a frame, they are placed
contiguous to prior elements and fill the frame in a
counter-clockwise manner. Frames are filled from left to
right in rows.

VIOLATION. Principles of perceptual organization.

At first glance, the inner framework leads one to

divide the quantities into fourths, which is incorrect.

LG Labels

Only alpha and numeric labels appear; there are no depictive labels.

Because alphas and numerics appear in the same perceptual units,

separate syntactic discussions are inappropriate. One typefont (medium

weight, black) is used within this subgraph and alphas may be upper or

lower case.

Elements. Subsgraph title,"Nutritional cont.". The first letter

is upper case, remaining letters are lower case, a period appears last.

Organization. Letters have upright orientation and are

arranged in two groups in a closely packed horizontal string.

Elements. Seven vertical axis (row) labels are mixed upper and

lower case with periods and numerics intermixed.

Organization. Letters have upright orientation and are arranged

in one or two groups in closely packed horizontal strings. Labels are

left justified at the same column.

Elements. Horizontal axis label "needed per day" is composed of

lower case letters.

Organization. Letters have upright orientation and are arranged

in three groups in a closely packed horizontal string.

Organization among different LG labels

LG title is left-justified in the same column as the vertical axis

labels. The space between the title and the top vertical axis label is

only slightly greater than the space between the various vertical axis

labels.

> VIOLATION. Principle of perceptual organization. Both the
> position of and use of the same typefont for all labels impairs
> identifying the subtitle as distinct.

Organization of the framework, specifier and labels

Framework and specifier. The dark quadrants of circles are
contained within inner frame elements, as mentioned above.

Framework and labels. The title is just above and commences to
the left of the array of circles. The horizontal axis label is below
the bracket.

> VIOLATION. Principles of perceptual organization.
> The title of the subgraph does not group clearly with
> the implied outer framework.

Labels and specifier. The specifier material is not labeled.

Middle Graph (MG)

MG Outer framework

Elements. 40 short lines, approximately equal in length. The
frame compromised of these elements is syntactically differentiated.

Organization. The lines project outward from a common center
and extend from a common distance from the center to a slightly greater
common distance from center. The lines are separated by approximately
equal angles, but the separating angles are discriminably different.

> VIOLATION. Principles of processing limitations.
> That there are exactly 40 short marks in this frame
> is not immediately apparent, but is important in order to

understand the graph.

MG Inner framework. There is no inner framework.

> VIOLATION. Between-level mapping principle. The specifier
>
> looks as if it could be within an inner framework.

MG Specifier

Elements. Two "pie-slice" wedges; one black, one white. The
black wedge is slightly larger than the white.

> VIOLATION. Principle of perceptual organization.
>
> Failure to include the bottom rim of the white wedge
>
> impairs seeing it as a wedge.

Organization. The vertex of the black wedge points straight
down while the vertex of the white wedge appears to point
straight up. The vertices are joined.

> VIOLATION. Principles of perceptual organization.
>
> The alignment of the two wedges results in their
>
> being organized into a single perceptual unit.

MG Labels

No labels are present within the subgraph.

Organization of the framework, specifier and labels

Framework and specifier. Both wedges have vertices that
coincide with the center of the circle defined by the
frame. Both wedges obscure the short radial lines that
define the frame.

Framework and labels. Not applicable.

Labels and specifier. Not Applicable.

Right Table (RT)

RT Framework

There is no explicit framework, outer or inner.

RT Specifier

There is no specifier in this table.

RT Labels

There are both alpha and numeric labels in this table. No depictive elements appear. Two typefonts are used: One is small light upper case, the other is large bold lower case. All letters and numbers in the same cluster have the same typefont. Right justification is used for the table, with the exception of the digit "8."

> VIOLATION. Principles of perceptual organization. The "8" being out of line in the top cluster leads one to focus one's attention on it, for no reason.

Alpha labels

Elements. Small, upper case type appears at the top of the table. Large, lower case type appears at the bottom of the table.

Organization. The small upper case labels at the top are organized into three rows, organized into two columns; only the first row has alpha labels in both columns. Beneath these are three rows in bold type. Spacing again produces two columns. Beneath these elements is one row in bold lower case type ("Kilocalorie"). The final line is separated from the rest of the table by a large gap.

> VIOLATION. Principle of perceptual organization.

The large gap separating the bottom line of the table

impairs one from realizing that it belongs to the

table.

VIOLATION. Principle of processing

priorities. The differience in font size

between the upper and middle clusters direct

one's attention to the middle cluster first,

instead of to the top one.

Numeric labels

Elements. Numbers appear in each cluster.

Organization. When more than one numeral appears in a string,

they follow one another in sequence. They appear to the right of

rows 3 - 6, and to the left in row 7.

Organization among labels

Alpha and numeric. Numerals, when present, are intermixed in

the same perceptual units with alphas.

Organization of the panels

Having discussed the syntax of the various subgraphs, we return to

overall structure of the three.

Macroframework

Elements. A macroframework serving to integrate the displays

consists of two heavy black lines, each composed of a

short vertical segment and a longer horizontal segment

ending in an arrowhead.

Organization. One line originates at the center of the rim of

the black wedge in the MG and terminates at the left in an

arrowhead, which points at the right-most part of the

title of the LG. The lower line originates at the center

of the rim of the white wedge in the MG and points at the

left-most end of the bottom line of the RT.

Labels

The title is comprised of words printed in very large upper case.

Organization of macroframework and labels

The title are centered above the macroframework.

Overall syntactic properties

VIOLATION. Principles of processing limitations. There is

too much information to process at once.

SEMANTIC ANALYSIS

Left Graph (LG)

LG Outer Framework

The vertical axis (implied by white space to the left of the leftmost

column of circles) constitutes a nominal scale. This scale is

semantically differentiated (although differentiation is de-emphasized

perceptually by wider spacing by rows than by columns, as noted

earlier). The horizontal axis constitutes a ratio scale and is

semantically differentiated. The extent of this scale represents daily

nutritional requirements of given nutrients. The bracket functions as

a way of indicating the scope of the label on the bottom, as will be

discussed shortly.

LG Inner framework

Each circle in a row may contain as much as 1/4 of the daily requirement for a given nutrient. The circles are thus ratio scales and are semantically differentiated.

> VIOLATION. Between-levels mapping principle. The perceptual representation of these circles falsely suggests a dense scale by the lack of differentiation marks on the circle. The semantic differentiation is apparent only by studying the relationship between the specifier and the inner framework.

LG Specifier

The basic specifier unit (a black quadrant of a circle) represents 1/16 of the daily requirement for a given nutrient. Basic specifier units can be combined to indicate integral multiples of 1/16 of the daily requirment.

> VIOLATION. Principle of consistency with cultural convention. The nesting of quadrants within each of the four circles is a novel way of specifying the information, and hence must be clearly specified.

LG Labels

Alpha. English words are used in the title to inform the reader that the subgraph provides information on nutritional contents. They are also used to name the various nutritional components represented as rows of circles and to inform the reader of the meaning of the horizontal axis. Periods inform the reader that a sequence of letters is an abbreviation of an English word.

> VIOLATION. Between-levels mapping principle. The

graph does not specify all of the nutritional content

in the display, only the vitamin and mineral content.

It should be labeled more appropriately.

Numeric. Numerals appear as characaters which, in part, form

the names of the nutritional components.

Organization among labels

Alpha and numeric. Together they comprise names.

Organization of framework, specifier, and labels

Outer and inner framework. The bracket can be interpreted as

unifying the collection of four circles into one dimension

(along the horizontal axis of the inner framework).

Framework and specifier. The basic specifier units (black

quadrants of a circle) act in conjunction with the four

circles in each row to indicate the extent to which one

serving of the food item satisfies the daily requirement

for the nutritional component associated with the row.

Framework and labels

Alpha. The alpha labels define the meaning of the axis. The

bracket indicates that the horizontal axis is defined by

the English words immediately beneath it. This is a one:one mapping.

Numeric. The numbers act in concert with alpha labels t:

nutritional components represented by rows.

Framework and specifier

The specifier is not labeled directly.

Middle Graph (MG)

MG Framework

This framework is ambiguous. The only interpretation that is

consistent with the other subgraphs in the display is that this

framework represents two distinct entities. One entity (the top part)

is the total daily nutritional requirement for a person. The second

(the bottom part) is the total daily caloric requirements for a person.

> VIOLATION. Between-levels mapping principle. The ambiguity
>
> is due to faulty mapping from syntax to semantics.

Accepting the above interpretation, the frameworks would constitute a

ratio scale. Although the framework appears syntactically

differentiated, on the semantic level, the issue of denseness and

differentation appears completely indeterminate in the context of all

information present or derivable.

> VIOLATION. Between-levels mapping principle. The variation
>
> in spacing between the marks of the frame seems to have no
>
> meaning.

MG Specifier

Black wedge. This represents the proportion of the total daily

nutritional requirements supplied by a serving of the food

in question. (This interpretation is the only one

consistent with the connective relation between the black

wedge and the left subgraph.)

White wedge. This represents the proportion of the total daily

caloric requirements supplied by a serving of the food in

question. This interpretation is uncertain, however, but

is suggested by the fact that the arrow from it points to

the bottom line of the table on the right.

> VIOLATION. Between-levels mapping principle. The
> meaning of the wedge simply is not clearly defined,
> allowing one to interpret the meaning of the syntax
> in more than one way.

> VIOLATION. Principle of consistency with cultural
> convention. A circle or "pie" graph is usually used
> in our culture to show how a whole is divided into
> parts. The MG, on the other hand, does not use
> wedges to divide a single entity into parts, but
> rather treats the two wedges as independent.

MG Labels

No labels of any sort are wholly within the MG.

> VIOLATION. Between-levels mapping principles. Missing
> labels on both the framework and the specifier make this graph
> very difficult to understand.

Organization of framework and specifier

According to the most consistent reading, the specifier elements
represent two distinct entities: (1) proportion of daily nutritional
requirement supplied per serving (black wedge), and (2) proportion of
daily caloric requirement supplied by a serving (white wedge). The
frame represents the whole daily requirement of these two entities
(nutrition and calories) and, therefore, supplies ratio scales in which
both specifier elements are measured. The different sizes of the two
wedges is thereby explained.

> VIOLATION. Between-levels mapping principle. If this

interpretation is correct, the scale is different things to
different objects, and therefore, violates the disjointness
property required for symbol systems to be unambiguous.
VIOLATION. Within-levels mapping principle. The
wedge-shaped specifier elements obscure the hash marks that
comprise the outer framework. This prevents any quantitative
mapping from the specifier to the framework.

Framework and labels

The framework is not labeled in the MG. If it had been, two different
labels would have been required for the same framework, or the
framework would have to be divided into two semicircular frameworks,
each separately labeled.

Labels and specifier

The specifier in this graph is not labeled within the subgraph.
Specifier elements within the graph are connected to labels in the
other panels and derive meaning thereby, as will be discussed shortly.

Right Table (RT)

RT Framework

There is no actual framework; the framework is only loosely implied by
the arrangement on the page of the material.

VIOLATION. Principles of perceptual organization. The
organization of the table is not evident from the proximity
relations of it components.

RT Specifier

There is no specifier in a table.

RT Labels

<u>Alpha.</u> The labels in the upper cluster are English words that
specify quantities of food. The labels in the middle
cluster are English words for abbreviations which are
names of nutritional components of food. The symbol "g"
indicates "grams". The lower label is an English work
meaning a unit of heat (in this context, the heat
equivalent of a serving of food).

<u>Numeric.</u> The numerals specify quantities.

Organization among labels

<u>Alphas and numerics.</u> Alphas and numerics appearing in the same
perceptual units together specify a quantity of some type
of physical units (e.g., "4 grams"). These units in turn
specify how much of the named substance is associated with
the quantity in a serving.

Macroframework

One arrow associates the white wedge with the "170 kilocalories" label.
This, in fact, allowed us to infer the meaning of the white wedge. The other
arrow associates the black wedge with the entire LG, which provides an analysis
of the total daily requirements of the nutritional components.

<u>VIOLATION.</u> Between-level mapping principle. The lack of labels on
the arrows hampers one from realizing that they symbolize different
relations, "decomposes into" (top) and "corresponds to" (bottom).

<u>VIOLATION.</u> Principle of consistency with cultural convention.
Arrows point from the specifier elements to the labels, instead of the

other way around -- which is the conventional directions.

Labels of macroframework

Alpha and numeric. The title labels the information provided by

the entire set of graphs.

Overall semantic properties

VIOLATION. Within-level mapping principle. Labels are missing that

are necessary to coordinate the panels into a single cohesive display.

VIOLATION. Within-level mapping principle. One cannot easily

relate the information about protein in the RT to the information

about protein in the LG, partly because of the use of "prot." and

"protein" in the different subgraphs. In general, use of different

notations or abbreviations leads one to infer that different things are

being referred to.

PRAGMATIC ANALYSIS

There are no clear cases in which the display has been slanted to lead

us to draw incorrect inferences. All we know about the purpose and context is

that the display was intended to be part of a label for foods.

VIOLATION. Principle of contextual compatibility.

No person in the midst of shopping would want to take

the time to decipher this overly complex display.

RECOMMENDATIONS FOR IMPROVEMENTS

The analysis reveals many weaknesses in the display. It would be

improved markedly by the following changes:

1.   The left graph should be replaced by a bar graph, labeled "Vitamins and Minerals." The labels of individual vitamins and minerals should be placed along the X axis, and a scale labeled "Percentage of Daily Requirement" should be placed on the Y axis; the Y axis should have 10 demarkations, with every two labeled by a number. An inner framework should consist of horizontal grid lines at each of the numbered values.

2.   The information in the black wedge should be eliminated. The undifferentiated total percentage of "nutritional content" is misleading; the breakdown into specific vitamins and minerals is more useful.

3.   The remaining information should be in a table, with all labels aligned in a column on the left and number aligned in a column on the right.

Dr. Troy D. Abell
Oklahoma University
Health Sciences Center
800 N.E. 15th Street
Oklahoma City, OK   73190

Dr. Phillip L. Ackerman
University of Minnesota
Department of Psychology
Minneapolis, MN   55455

Dr. Beth Adelson
Department of Computer Science
Tufts University
Medford, MA 02155

AFOSR,
    Life Sciences Directorate
Bolling Air Force Base
Washington, DC 20332

Technical Director,
    Army Human Engineering Lab
Aberdeen Proving Ground
MD   21005

Dr. Robert Ahlers
Code N711
Human Factors Laboratory
Naval Training Systems Center
Orlando, FL 32813

Dr. Ed Aiken
Navy Personnel R&D Center
San Diego, CA 92152-6800

Dr. Robert Aiken
Temple University
School of Business Administration
Department of Computer and
    Information Sciences
Philadelphia, PA 19122

Dr. John Allen
Department of Psychology
George Mason University
4400 University Drive
Fairfax, VA   22030

Dr. Earl A. Alluisi
HQ, AFHRL (AFSC)
Brooks AFB, TX 78235

Dr. James Anderson
Brown University
Center for Neural Science
Providence, RI 02912

Dr. John R. Anderson
Department of Psychology
Carnegie-Mellon University
Pittsburgh, PA 15213

Dr. Nancy S. Anderson
Department of Psychology
University of Maryland
College Park, MD 20742

Technical Director, ARI
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Gary Aston-Jones
Department of Biology
New York University
1009 Main Bldg
Washington Square
New York, NY   10003

Dr. Lisa C. Baker
Oklahoma University
Health Sciences Center
800 N.E. 15tn Street
Oklahoma City, OK   73190

Dr. Alvah Bittner
Naval Biodynamics Laboratory
New Orleans, LA 70189

Dr. Gordon H. Bower
Department of Psychology
Stanford University
Stanford, CA 94306

Dr. Robert Breaux
Code N-095R
Naval Training Systems Center
Orlando, FL 32813

Dr. John S. Brown
XEROX Palo Alto Research
    Center
3333 Coyote Road
Palo Alto, CA 94304

Distribution List [Harvard/Kosslyn] NR 670-465

Dr. Bruce Buchanan
Computer Science Department
Stanford University
Stanford, CA 94305

Mr. Niels Busch-Jensen
Forsvarets Center for Lederskab
Christianshavns Voldgade 8
1424 Kobenhavn K
DENMARK

Joanne Capper
Center for Research into Practice
1718 Connecticut Ave., N.W.
Washington, DC   20009

Dr. Jaime Carbonell
Carnegie-Mellon University
Department of Psychology
Pittsburgh, PA 15213

Dr. Gail Carpenter
Northeastern University
Department of Mathematics, 504LA
360 Huntington Avenue
Boston, MA 02115

Dr. Pat Carpenter
Carnegie-Mellon University
Department of Psychology
Pittsburgh, PA 15213

Dr. John M. Carroll
IBM Watson Research Center
User Interface Institute
P.O. Box 218
Yorktown Heights, NY   10598

Dr. Robert Carroll
OP 01B7
Washington, DC 20370

LCDR Robert Carter
Office of the Chief
   of Naval Operations
OP-01B
Pentagon
Washington, DC   20350-2000

Dr. Fred Chang
Strategic Technology Division
Pacific Bell
2600 Camino Ramon
Rm. 3S-453
San Ramon, CA   94583

Dr. Alphonse Chapanis
8415 Bellona Lane
Suite 210
Buxton Towers
Baltimore, MD   21204

Dr. Paul R. Chatelier
OUSDRE
Pentagon
Washington, DC   20350-2000

Mr. Raymond E. Christal
AFHRL/MOE
Brooks AFB, TX 78235

Professor Chu Tien-Chen
Mathematics Department
National Taiwan University
Taipei, TAIWAN

Dr. William Clancey
Stanford University
Knowledge Systems Laboratory
701 Welch Road, Bldg. C
Palo Alto, CA   94304

Dr. David E. Clement
Department of Psychology
University of South Carolina
Columbia, SC 29208

Assistant Chief of Staff
   for Research, Development,
   Test, and Evaluation ·
Naval Education and
   Training Command (N-5)
NAS Pensacola, FL 32508

Dr. Michael Coles
University of Illinois
Department of Psychology
Champaign, IL 61820

Distribution List [Harvard/Kosslyn] NR 670-465

Dr. Allan M. Collins
Bolt Beranek & Newman, Inc.
50 Moulton Street
Cambridge, MA 02138

Dr. Stanley Collyer
Office of Naval Technology
Code 222
800 N. Quincy Street
Arlington, VA 22217-5000

Dr. Leon Cooper
Brown University
Center for Neural Science
Providence, RI 02912

Dr. Lynn A. Cooper
Learning R&D Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15213

Capt. Jorge Correia Jesuino
Marinha-7A Reparticao
Direccao Do Servico Do Pessoal
Praca Do Comercio
Lisbon
PORTUGAL

M.C.S. Louis Crocq
Secretariat General de la
    Defense Nationale
51 Boulevard de Latour-Maubourg
75007 Paris
FRANCE

Dr. Hans Crombag
University of Leyden
Education Research Center
Boerhaavelaan 2
2334 EN Leyden
The NETHERLANDS

CAPT P. Michael Curran
Office of Naval Research
800 N. Quincy St.
Code 125
Arlington, VA 22217-5000

Dr. Leon Gailman
Code 73XS
80230-5000

Dr. Joel Davis
Office of Naval Research
Code 1141NP
800 North Quincy Street
Arlington, VA 22217-5000

LT John Deaton
ONR Code 125
800 N. Quincy Street
Arlington, VA   22217-5000

Dr. R. K. Dismukes
Associate Director for Life Sciences
AFOSR
Bolling AFB
Washington, DC 20332

Dr. Stephanie Doan
Code 6021
Naval Air Development Center
Warminster, PA   18974-5000

Dr. Emanuel Donchin
University of Illinois
Department of Psychology
Champaign, IL 61820

Defense Technical
    Information Center
Cameron Station, Bldg 5
Alexandria, VA 22314
Attn: TC
(12 Copies)

Dr. Heinz-jurgen Ebenrett
Streitkrafteamt, Abteilung I
Dezernat Wehrpsychologie
Postfach 20 50 03
D-5300 Bonn 2
FEDERAL REPUBLIC OF GERMANY

Dr. Ford Ebner
Brown University
Anatomy Department
Medical School
Providence, RI 02912

Dr. Jeffrey Elman
University of California,
    San Diego
Department of Linguistics, C-008
La Jolla, CA 92093

Dr. Richard Elster
Deputy Assistant Secretary
    of the Navy (Manpower)
OASN (M&RA)
Department of the Navy
Washington, DC 20350-1000

ERIC Facility-Acquisitions
4833 Rugby Avenue
Bethesda, MD 20014

Dr. Jerome A. Feldman
University of Rochester
Computer Science Department
Rochester, NY 14627

Dr. Paul Feltovich
Southern Illinois University
School of Medicine
Medical Education Department
P.O. Box 3926
Springfield, IL 62708

Dr. Craig I. Fields
ARPA
1400 Wilson Blvd.
Arlington, VA 22209

Dr. Gail R. Fleischaker
Margulis Lab
Biological Sci. Center
2 Cummington Street
Boston, MA   02215

J. D. Fletcher
9931 Corsica Street
Vienna VA   22180

Dr. Jane M. Flinn
Department of Psychology
George Mason University
4400 University Drive
Fairfax, VA   22030

Dr. Michael Friendly
Psychology Department
York University
Toronto ONT
CANADA   M3J 1P3

Dr. Michaela Gallagher
University of North Carolina
Department of Psychology
Chapel Hill, NC 27514

Dr. Don Gentner
Center for Human
    Information Processing
University of California
La Jolla, CA 92093

Dr. Claude Ghez
Center for Neurobiology and
    Behavior
722 W. 168th Street
New York, NY 10032

Dr. Lee Giles
AFOSR
Bolling AFB
Washington, DC   20332

Dr. Eugene E. Gloye
Office of Naval Research
    Detachment
1030 E. Green Street
Pasadena, CA 91106-2485

Dr. Sam Glucksberg
Department of Psychology
Princeton University
Princeton, NJ   08540

Dr. Daniel Gopher
Industrial Engineering
    & Management
TECHNION
Haifa 32000
ISRAEL

Dr. Sherrie Gott
AFHRL/MODJ
Brooks AFB, TX 78235

Jordan Grafman, Ph.D.
2021 Lyttonsville Road
Silver Spring, MD   20910

Dr. Richard H. Granger
Department of Computer Science
University of California, Irvine
Irvine, CA 92717

Distribution List [Harvard/Kosslyn]   NR 670-465

Dr. Steven Grant
Department of Biology
New York University
1009 Main Bldg
Washington Square
New York, NY   10003

Dr. Wayne Gray
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. William Greenough
University of Illinois
Department of Psychology
Champaign, IL   61820

Dr. Stephen Grossberg
Center for Adaptive Systems
Room 244
111 Cummington Street
Boston University
Boston, MA   02215

Dr. Muhammad K. Habib
University of North Carolina
Department of Biostatistics
Chapel Hill, NC 27514

Dr. Henry M. Halff
Halff Resources, Inc.
4918 33rd Road, North
Arlington, VA 22207

Dr. Ronald K. Hambleton
Prof. of Education & Psychology
University of Massachusetts
    at Amherst
Hills House
Amherst, MA 01003

Dr. Ray Hannapel
Scientific and Engineering
    Personnel and Education
National Science Foundation
Washington, DC 20550

Stevan Harnad
Editor, The Behavioral and
    Brain Sciences
20 Nassau Street, Suite 240
Princeton, NJ 08540

Dr. Steven A. Hillyard
Department of Neurosciences
University of California,
    San Diego
La Jolla, CA   92093

Dr. Geoffrey Hinton
Carnegie-Mellon University
Computer Science Department
Pittsburgh, PA   15213

Dr. Jim Hollan
Intelligent Systems Group
Institute for
    Cognitive Science (C-015)
UCSD
La Jolla, CA 92093

Dr. John Holland
University of Michigan
2313 East Engineering
Ann Arbor, MI   48109

Dr. Keith Holyoak
University of Michigan
Human Performance Center
330 Packard Road
Ann Arbor, MI   48109

Dr. James Howard
Dept. of Psychology
Human Performance Laboratory
Catholic University of
    America
Washington, DC   20064

Dr. Earl Hunt
Department of Psychology
University of Washington
Seattle, WA 98105

Dr. Ed Hutchins
Intelligent Systems Group
Institute for
    Cognitive Science (C-015)
UCSD
La Jolla, CA 92093

Dr. Alice Isen
Department of Psychology
University of Maryland
Catonsville, MD   21228

Distribution List [Harvard/Kosslyn] NR 670-465

Pharm.-Chim. en Chef Jean Jacq
Division de Psychologie
Centre de Recherches du
    Service de Sante des Armees
108 Boulevard Pinel
69272 Lyon Cedex 03, FRANCE

COL Dennis W. Jarvi
Commander
AFHRL
Brooks AFB, TX 78235-5601

CDR Tom Jones
ONR Code 125
800 N. Quincy Street
Arlington, VA   22217-5000

Dr. Douglas H. Jones
Thatcher Jones Associates
P.O. Box 6640
10 Trafalgar Court
Lawrenceville, NJ   08648

Col. Dominique Jouslin de Noray
Etat-Major de l'Armee de Terre
Centre de Relations Humaines
3 Avenue Octave Greard
75007 Paris
FRANCE

Dr. Marcel Just
Carnegie-Mellon University
Department of Psychology
Schenley Park
Pittsburgh, PA 15213

Dr. Daniel Kahneman
Department of Psychology
University of California
Berkeley, CA   94720

Dr. Demetrios Karis
Grumman Aerospace Corporation
MS CO4-14
Bethpage, NY   11714

Dr. Milton S. Katz
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Steven W. Keele
Department of Psychology
University of Oregon
Eugene, OR 97403

Dr. Frank Keil
Department of Psychology
Cornell University
Ithaca, NY   14850

Dr. Scott Kelso
Haskins Laboratories,
270 Crown Street
New Haven, CT 06510

Dr. Dennis Kibler
University of California
Department of Information
    and Computer Science
Irvine, CA 92717

Dr. Ronald Knoll
Bell Laboratories
Murray Hill, NJ   07974

Dr. Sylvan Kornblum
University of Michigan
Mental Health Research Institute
205 Washtenaw Place
Ann Arbor, MI   48109

Dr. Stephen Kosslyn
Harvard University
1236 William James Hall
33 Kirkland St.
Cambridge, MA 02138

Dr. Benjamin Kuipers
University of Texas at Austin
Department of Computer Sciences
T.S. Painter Hall 3.28
Austin, Texas 78712

Dr. Pat Langley
University of California
Department of Information
    and Computer Science
Irvine, CA 92717

Dr. Marcy Lansman
University of North Carolina
The L. L. Thurstone Lab.
Davie Hall 013A
Chapel Hill, NC 27514

Dr. Robert Lawler
Information Sciences, FRL
GTE Laboratories, Inc.
40 Sylvan Road
Waltham, MA 02254

Dr. Alan M. Lesgold
Learning R&D Center
University of Pittsburgh
Pittsburgh, PA 15260

Dr. Charles Lewis
Faculteit Sociale Wetenschappen
Rijksuniversiteit Groningen
Oude Boteringestraat 23
9712GC Groningen
The NETHERLANDS

Library
Naval War College
Newport, RI   02940

Library
Naval Training Systems Center
Orlando, FL   32813

Science and Technology Division
Library of Congress
Washington, DC 20540

Dr. Bob Lloyd
Dept. of Geography
University of South Carolina
Columbia, SC 29208

Dr. Gary Lynch
University of California
Center for the Neurobiology of
   Learning and Memory
Irvine, CA 92717

Dr. Don Lyon
P. O. Box 44
Higley, AZ 85236

Dr. William L. Maloy
Chief of Naval Education
   and Training
Naval Air Station
Pensacola, FL 32508

Dr. Evans Mandes
Department of Psychology
George Mason University
4400 University Drive
Fairfax, VA   22030

Dr. Jay McClelland
Department of Psychology
Carnegie-Mellon University
Pittsburgh, PA 15213

Dr. James L. McGaugh
Center for the Neurobiology
   of Learning and Memory
University of California, Irvine
Irvine, CA 92717

Dr. Gail McKoon
CAS/Psychology
Northwestern University
1859 Sheridan Road
Kresge #230
Evanston, IL   60201

Dr. Joe McLachlan
Navy Personnel R&D Center
San Diego, CA 92152-6800

Dr. James McMichael
Assistant for MPT Research,
   Development, and Studies
   OP 01B7
Washington, DC 20370

Dr. George A. Miller
Department of Psychology
Green Hall
Princeton University
Princeton, NJ   08540

Dr. William Montague
NPRDC Code 13
San Diego, CA 92152-6800

Distribution List [Harvard/Kosslyn] NR 670-465

Dr. Randy Mumaw
Program Manager
Training Research Division
HumRRO
1100 S. Washington
Alexandria, VA 22314

Spec. Asst. for Research, Experi-
   mental & Academic Programs,
   NTTC (Code 016)
NAS Memphis (75)
Millington, TN 38054

Leadership Management Education
   and Training Project Officer,
   Naval Medical Command
Code 05C
Washington, DC 20372

Dr. Mary Jo Nissen
University of Minnesota
N218 Elliott Hall
Minneapolis, MN 55455

Director, Training Laboratory,
   NPRDC (Code 05)
San Diego, CA 92152-6800

Director, Manpower and Personnel
   Laboratory,
   NPRDC (Code 06)
San Diego, CA 92152-6800

Director, Human Factors
   & Organizational Systems Lab,
   NPRDC (Code 07)
San Diego, CA 92152-6800

Fleet Support Office,
   NPRDC (Code 301)
San Diego, CA 92152-6800

Library, NPRDC
Code P201L
San Diego, CA 92152-6800

Commanding Officer,
   Naval Research Laboratory
Code 2627
Washington, DC 20390

Dr. Harold F. O'Neil, Jr.
School of Education - WPH 801
Department of Educational
   Psychology & Technology
University of Southern California
Los Angeles, CA   90089-0031

Dr. Michael Oberlin
Naval Training Systems Center
Code 711
Orlando, FL   32813-7100

Dr. Stellan Ohlsson
Learning R & D Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA 15213

Dr. James B. Olsen
Director,
   Waterford Testing CEnter
1681 West 820 North
Provo, UT   84601

Director, Research Programs,
   Office of Naval Research
800 North Quincy Street
Arlington, VA 22217-5000

Office of Naval Research,
   Code 1133
800 N. Quincy Street
Arlington, VA 22217-5000

Office of Naval Research,
   Code 1141NP
800 N. Quincy Street
Arlington, VA 22217-5000

Office of Naval Research,
   Code 1142
800 N. Quincy St.
Arlington, VA 22217-5000

Office of Naval Research,
   Code 1142EP
800 N. Quincy Street
Arlington, VA 22217-5000

Distribution List [Harvard/Kosslyn] NR 670-465

Office of Naval Research,
    Code 1142PT
800 N. Quincy Street
Arlington, VA 22217-5000
(6 Copies)

Director, Technology Programs,
    Office of Naval Research
Code 12
800 North Quincy Street
Arlington, VA 22217-5000

Psychologist
Office of Naval Research
    Branch Office, London
Box 39
FPO New York, NY 09510

Special Assistant for Marine
    Corps Matters,
    ONR Code 00MC
800 N. Quincy St.
Arlington, VA 22217-5000

Psychologist
Office of Naval Research
Liaison Office, Far East
APO San Francisco, CA 96503

Assistant for Planning MANTRAPERS
    OP 01B6
Washington, DC 20370

Assistant for MPT Research,
    Development and Studies
    OP 01B7
Washington, DC 20370

Assistant for Personnel
    Logistics Planning,
    OP 987H
5D772, The Pentagon
Washington, DC 20350

Dr. Judith Orasanu
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Robert F. Pasnak
Department of Psychology
George Mason University
4400 University Drive
Fairfax, VA   22030

Daira Paulson
Code 52 - Training Systems
Navy Personnel R&D Center
San Diego, CA 92152-6800

Dr. Douglas Pearse
DCIEM
Box 2000
Downsview, Ontario
CANADA

Dr. James W. Pellegrino
University of California,
    Santa Barbara
Department of Psychology
Santa Barbara, CA 93106

Military Assistant for Training and
    Personnel Technology,
    OUSD (R & E)
Room 3D129, The Pentagon
Washington, DC 20301-3080

Dr. Ray Perez
ARI (PERI-II)
5001 Eisenhower Avenue
Alexandria, VA 2233

Dr. Steven Pinker
Department of Psychology
E10-018
M.I.T.
Cambridge, MA   02139

Dr. Martha Polson
Department of Psychology
Campus Box 346
University of Colorado
Boulder, CO 80309

Dr. Peter Polson
University of Colorado
Department of Psychology
Boulder, CO 80309

Distribution List [Harvard/Kosslyn] NR 670-465

Dr. Michael I. Posner
Department of Neurology
Washington University
   Medical School
St. Louis, MO   63110

Dr. Mary C. Potter
Department of Psychology
MIT (E-10-032)
Cambridge, MA   02139

Dr. Karl Pribram
Stanford University
Department of Psychology
Bldg. 4201 -- Jordan Hall
Stanford, CA 94305

Lt. Jose Puente Ontanilla
C/Santisima Trinidad, 8, 4 E
28010 Madrid
SPAIN

Dr. James A. Reggia
University of Maryland
School of Medicine
Department of Neurology
22 South Greene Street
Baltimore, MD 21201

Dr. Gil Ricard
Mail Stop C04-14
Grumman Aerospace Corp.
Bethpage, NY   11714

Ms. Riitta Ruotsalainen
General Headquarters
Training Section
Military Psychology Office
PL 919
SF-00101 Helsinki 10, FINLAND

Dr. E. L. Saltzman
Haskins Laboratories
270 Crown Street
New Haven, CT 06510

Dr. Arthur Samuel
Yale University
Department of Psychology
Box 11A, Yale Station
New Haven, CT 06520

Mrs. Birgitte Schneidelbach
Forsvarets Center for Lederskab
Christianshavns Voldgade 8
1424 Kobenhavn K
DENMARK

Dr. Walter Schneider
Learning R&D Center
University of Pittsburgh
3939 O'Hara Street
Pittsburgh, PA   15260

Dr. Robert J. Seidel
US Army Research Institute
5001 Eisenhower Ave.
Alexandria, VA 22333

Dr. Colleen M. Seifert
Intelligent Systems Group
Institute for
   Cognitive Science (C-015)
UCSD
La Jolla, CA 92093

Dr. T. B. Sheridan
Dept. of Mechanical Engineering
MIT
Cambridge, MA 02139

Dr. Zita M Simutis
Instructional Technology
   Systems Area
ARI
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. H. Wallace Sinaiko
Manpower Research
   and Advisory Services
Smithsonian Institution
801 North Pitt Street
Alexandria, VA 22314

LIC Juhani Sinivuo
General Headquarters
Training Section
Military Psychology Office
PL 919
SF-00101 Helsinki 10, FINLAND

Distribution List [Harvard/Kosslyn] NR 670-465

Dr. Edward E. Smith
Bolt Beranek & Newman, Inc.
50 Moulton Street
Cambridge, MA 02138

Dr. Linda B. Smith
Department of Psychology
Indiana University
Bloomington, IN 47405

Dr. Robert F. Smith
Department of Psychology
George Mason University
4400 University Drive
Fairfax, VA 22030

Dr. Richard E. Snow
Department of Psychology
Stanford University
Stanford, CA 94306

Dr. Kathryn T. Spoehr
Brown University
Department of Psychology
Providence, RI 02912

Dr. Ted Steinke
Dept. of Geography
University of South Carolina
Columbia, SC 29208

Dr. Saul Sternberg
University of Pennsylvania
Department of Psychology
3815 Walnut Street
Philadelphia, PA 19104

Medecin Philippe Stivalet
Division de Psychologie
Centre de Recherches du
    Service de Sante des Armees
108 Boulevard Pinel
69272 Lyon Cedex 03, FRANCE

Dr. Steve Suomi
NIH Bldg. 31
Room B2B-15
Bethesda, MD 20205

Dr. John Tangney
AFOSR/NL
Bolling AFB, DC 20332

Dr. Richard F. Thompson
Stanford University
Department of Psychology
Bldg. 4201 -- Jordan Hall
Stanford, CA 94305

Dr. Sharon Tkacz
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Michael T. Turvey
Haskins Laboratories
270 Crown Street
New Haven, CT 06510

Dr. James Tweeddale
Technical Director
Navy Personnel R&D Center
San Diego, CA 92152-6800

Dr. V. R. R. Uppuluri
Union Carbide Corporation
Nuclear Division
P. O. Box Y
Oak Ridge, TN 37830

Headquarters, U. S. Marine Corps
Code MPI-20
Washington, DC 20380

Dr. William Uttal
NOSC, Hawaii Lab
Box 997
Kailua, HI 96734

Dr. J. W. M. Van Breukelen
Afd. Sociaal Wetenschappelijk
    Onderzoek/DPKM
Admiraliteitsgebouw
Van Der Burchlaan 31 Kr. 376
2500 ES 's-Gravenhage, NETHERLANDS

Dr. Kurt Van Lehn
Department of Psychology
Carnegie-Mellon University
Schenley Park
Pittsburgh, PA 15213

Dr. Jerry Vogt
Navy Personnel R&D Center
Code 51
San Diego, CA 92152-6800

Distribution List [Harvard/Kosslyn] NR 670-465

Dr. H. J. M. Wassenberg
Head, Dept. of Behavioral Sciences
Royal Netherlands Air Force
Afd. Gedragswetenschappen/DPKLv
Binckhorstlaan 135 Kr. 2L4
2516 BA 's-Gravenhage, NETHERLANDS

Dr. Norman M. Weinberger
University of California
Center for the Neurobiology
   of Learning and Memory
Irvine, CA   92717

Dr. Shih-Sung Wen
Jackson State University
1325 J. R. Lynch Street
Jackson, MS   39217

Dr. Douglas Wetzel
Code 12
Navy Personnel R&D Center
San Diego, CA 92152-6800

Dr. Barry Whitsel
University of North Carolina
Department of Physiology
Medical School
Chapel Hill, NC 27514

Dr. Christopher Wickens
Department of Psychology
University of Illinois
Champaign, IL 61820

Dr. Heather Wild
Naval Air Development
   Center
Code 6021
Warminster, PA   18974-5000

Dr. Robert A. Wisher
U.S. Army Institute for the
   Behavioral and Social Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333

Dr. Martin F. Wiskoff
Navy Personnel R & D Center
San Diego, CA 92152-6800

Dr. Dan Wolz
AFHRL/MOE
Brooks AFB, TX 78235

Dr. George Wong
Biostatistics Laboratory
Memorial Sloan-Kettering
   Cancer Center
1275 York Avenue
New York, NY 10021

Dr. Donald Woodward
Office of Naval Research
Code 1141NP
800 North Quincy Street
Arlington, VA 22217-5000

Dr. Wallace Wulfeck, III
Navy Personnel R&D Center
San Diego, CA 92152-6800

Dr. Joe Yasatuke
AFHRL/LRT
Lowry AFB, CO 80230

Dr. Masoud Yazdani
Dept. of Computer Science
University of Exeter
Exeter EX4 4QL
Devon, ENGLAND

Mr. Carl York
System Development Foundation
181 Lytton Avenue
Suite 210
Palo Alto, CA 94301

Dr. Joseph L. Young
Memory & Cognitive
   Processes
National Science Foundation
Washington, DC 20550

Dr. Steven Zornetzer
Office of Naval Research
Code 1140
800 N. Quincy St.
Arlington, VA 22217-5000

Dr. Michael J. Zyda
Naval Postgraduate School
Code 52CK
Monterey, CA   93943-5100

EMO
9-87
DTIC